



GA
E450.M5
A1
1932





UNIVERSITY

UNIVERSITY

UNIVERSITY

UNIVERSITY

UNIVERSITY

UNIVERSITY

UNIVERSITY

UNIVERSITY


UNIVERSITY

UNIVERSITY

UNIVERSITY

UNIVERSITY

UNIVERSITY



7a
RC
T
19

EIGHTY-NINTH ANNUAL REPORT

OF THE

MILLEDGEVILLE
STATE HOSPITAL

MILLEDGEVILLE, GA.

SUBMITTED BY

BOARD OF CONTROL
ELEEMOSYNARY INSTITUTIONS



GENERAL LIBRARY

OCT 7 1939

UNIVERSITY OF GEORGIA

GENERAL LIBRARY
THE UNIVERSITY OF GEORGIA
GIFT OF State Library 1938

FOR THE YEAR ENDING
DECEMBER THIRTY-FIRST
NINETEEN THIRTY-TWO

EIGHTY-NINTH ANNUAL REPORT


OF THE

MILLEDGEVILLE
STATE HOSPITAL

MILLEDGEVILLE, GA.

SUBMITTED BY

BOARD OF CONTROL
ELEEMOSYNARY INSTITUTIONS



FOR THE YEAR ENDING
DECEMBER THIRTY-FIRST :-- NINETEENTH THIRTY-TWO

BOARD OF CONTROL
ELEEMOSYNARY INSTITUTIONS

1932

CHAIRMAN

Shepard Bryan.....Atlanta

VICE-CHAIRMAN

John T. Brantley.....Blackshear

SECRETARY-TREASURER

Lucy R. D. Ficklen..... 215-17 State Capitol, Atlanta, Ga.

MEMBERS

Richard B. Russell, Jr., Governor, Ex-Officio.....Atlanta
Jas. L. Gillis.....Soperton
H. T. McIntosh.....Albany
J. E. D. Shipp.....Americus
J. A. Mandeville.....Carrollton
xShepard Bryan.....Atlanta
Marion H. Allen.....Milledgeville
Mrs. M. E. Judd.....Dalton
*John T. Brantley.....Blackshear
A. C. Wheeler.....Gainesville
H. W. Shaw.....Augusta
Arthur Lucas.....Atlanta
W. B. Gibbs.....Jesup

*Deceased.

xResigned.

BOARD OF CONTROL ELEEMOSYNARY INSTITUTIONS

1933

CHAIRMAN

Arthur Lucas.....Atlanta

VICE-CHAIRMAN

A. C. Wheeler.....Gainesville

SECRETARY-TREASURER

Lucy R. D. Ficklen.....215-17 State Capitol, Atlanta, Ga.

MEMBERS

Eugene Talmadge, Governor, Ex-Officio.....Atlanta
W. L. McElmurray.....Waynesboro
H. T. McIntosh.....Albany
J. E. D. Shipp.....Americus
R. B. Gilbert.....Greenville
Arthur Lucas.....Atlanta
Marion H. Allen.....Milledgeville
Mrs. M. E. Judd.....Dalton
W. B. Gibbs.....Jesup
A. C. Wheeler.....Gainesville
H. W. Shaw.....Augusta
E. E. Lindsey.....Rome

COMMITTEES OF THE BOARD OF CONTROL
ELEEMOSYNARY INSTITUTIONS
FOR THE OPERATION OF THE HOSPITAL

1932

EXECUTIVE COMMITTEE

J. A. Mandeville, Chairman
Arthur Lucas
Shepard Bryan
Richard B. Russell, Jr.

FINANCE COMMITTEE

Arthur Lucas, Chairman
Marion H. Allen
Shepard Bryan
Richard B. Russell, Jr.

MILLEDGEVILLE STATE HOSPITAL
COMMITTEE

Arthur Lucas, Chairman
Jno. T. Brantley
Marion H. Allen

LEGISLATIVE COMMITTEE

J. E. D. Shipp, Chairman
J. A. Mandeville
H. T. McIntosh

PURCHASING COMMITTEE

Jno. T. Brantley, Chairman
J. E. D. Shipp
H. W. Shaw
Jas. L. Gillis

LAW AND ORGANIZATION
COMMITTEE

A. C. Wheeler
Marion H. Allen
J. E. D. Shipp

COMMITTEES OF THE BOARD OF CONTROL
ELEEMOSYNARY INSTITUTIONS
FOR THE OPERATION OF THE HOSPITAL

1933

EXECUTIVE COMMITTEE

A. C. Wheeler, Chairman
H. T. McIntosh
Eugene Talmadge
Arthur Lucas

FINANCE COMMITTEE

Marion H. Allen, Chairman
Eugene Talmadge
A. C. Wheeler
Arthur Lucas

MILLEDGEVILLE STATE HOSPITAL
COMMITTEE

Marion H. Allen, Chairman
R. B. Gilbert
A. C. Wheeler

LEGISLATIVE COMMITTEE

J. E. D. Shipp, Chairman
W. L. McElmurray
H. T. McIntosh
W. B. Gibbs

PURCHASING COMMITTEE

H. W. Shaw, Chairman
J. E. D. Shipp
R. B. Gilbert
W. B. Gibbs
H. T. McIntosh

LAW AND ORGANIZATION
COMMITTEE

A. C. Wheeler, Chairman
J. E. D. Shipp
Marion H. Allen

OFFICERS OF THE HOSPITAL

R. C. Swint, M.D.	Superintendent and Resident Physician
N. P. Walker, M.D.	Clinical Director
L. P. Longino, M.D.	First Assistant Physician
Y. H. Yarbrough, M.D.	Second Assistant Physician
J. I. Garrard, M.D.	Assistant Physician
Geo. L. Echols, M.D.	Assistant Physician
D. T. Rankin, M.D.	Assistant Physician
R. W. Bradford, M. D.	Assistant Physician
C. G. Cox, M.D.	Assistant Physician
W. A. Bostick, M.D.	Assistant Physician
J. W. Mobley, M.D., (Died August 15, 1932)	Assistant Physician
J. D. Wiley, M.D.	Assistant Physician
E. W. Schwall, M.D.	Assistant Physician
G. K. Cornwell, M. D.	Junior Assistant Physician
Raymond Suarez, M.D.	Junior Assistant Physician
Evelyn Swilling Suarez, M.D., (from October 1, 1932)	Interne
L. A. Bailey, M.D.	Junior Assistant Physician
R. V. Lamar, M.D.	Pathologist
Geo. H. Green, D.D.S.	Dentist
J. C. Adcock, D.D.S.	Dentist
J. J. Wooten	Pharmacist
Mrs. Mae M. Jones, R.N.	Superintendent of Nurses
Otto M. Conn.	Treasurer
Homer Bivins.	Steward
W. S. Jett, Jr.	Engineer
H. S. Jones.	Secretary
F. C. Penuel.	Farm Steward
Arthur Farell.	Storekeeper
W. W. Stembridge.	Sanitation Officer
Mrs. Geo. L. Echols.	Dietitian
Miss Sarah DeJarnette.	Dietitian
Miss Frances R. Rogers.	Director Occupational Therapy
Miss Cecile Humphrey.	Social Worker

EIGHTY-NINTH ANNUAL REPORT

of the

MILLEDGEVILLE STATE HOSPITAL

Submitted by

BOARD OF CONTROL OF ELEEMOSYNARY INSTITUTIONS

ATLANTA, GA., JANUARY 1, 1933.

To His Excellency, Eugene Talmadge, Governor.

SIR:

In accordance with the provisions of the statutes and the by-laws of the Board, the State Board of Control has the honor to present herewith the 89th annual report of the Milledgeville State Hospital covering the period ending December 31, 1932.

The report includes medical statistics, movement of population, financial tables and a narrative of the status of the Hospital compiled by Dr. Roger C. Swint, Superintendent.

From the original unit erected in 1842, the Hospital has grown to a plant of twenty major and sixty-nine minor buildings with a population of 6,500, making it approximately the fifteenth city in size in Georgia.

There are only six or seven mental hospitals in the United States so large.

The problems of administration in an institution of this character and size are exceedingly complex, yet for a long period of years the Hospital has had a high reputation throughout the country for efficiency and for fine service rendered in the rehabilitation of those entrusted to its care.

Much of this is due to the unflagging interest and loyal devotion of the medical and personnel staff, many of whom have spent the best years of their lives here in this work, and to the able leadership of the distinguished physicians who have served as Superintendents.

Records of the Hospital show that each year an increasing number of citizens avail themselves of the Hospital's facilities for caring for their loved ones, sick in mind.

During 1932 the greatest number of patients were restored to society as recovered or improved in any year in the institution's history.

Overcrowding and decreased maintenance funds, however, became acute problems and today seriously jeopardize the work of the Hospital.

Many patients' applications for admission are having to be refused for lack of room and funds to care for them and in the county jails of the

State are confined more than a hundred men and women too seriously disturbed to be taken care of by their families and friends, for whom there is not a bed available at Milledgeville.

Because of the financial situation, the Board of Control, during 1932 inaugurated a policy of rigid economy at all of the Eleemosynary Institutions.

At the Milledgeville Hospital economies considered reasonable with the safety and treatment of patients were put into effect, reducing the per capita cost per day to 49½ cents. In the treatment of mental cases, there is a point beyond which economies cannot go without danger.

The State Hospital today is not just a prison or custodial institution, but is endeavoring to treat and solve the problems of the most complex of human afflictions and as such should be recognized and supported by every Georgian.

Yours respectfully,

ARTHUR LUCAS,

Chairman Board of Control.

MARION H. ALLEN,

Chairman, Milledgeville State Hospital Committee.

LUCY R. D. FICKLEN,

Secretary-Treasurer.

REPORT OF SUPERINTENDENT

of the

MILLEDGEVILLE STATE HOSPITAL

HONORABLE BOARD OF CONTROL,
STATE ELEEMOSYNARY INSTITUTIONS.

Gentlemen:

In accordance with your rule and statutory requirements, I herewith respectfully submit the 89th annual report of the Milledgeville State Hospital for the fiscal year ending December 31, 1932.

This is the first annual report under the management of the Board of Control that replaced the Board of Trustees, under the Reorganization Act of 1931. As the 88th annual report was not published, the statistical tables and other data for the year 1931 are included so that this information will be available for the Archives of the Institution, thereby, practically making this a biennial Report.

General Statistics of Patient Population for the Year of 1931.

Patients on Records first day of year:

	MALES	FEMALES	TOTAL
In Hospital.....	2365	2955	5320
On furlough.....	328	291	619
Total.....	2693	3246	5939

Admitted during the year:

	W. M.	W. F.	C. M.	C. F.	TOTAL
First admissions.....	315	241	150	191	897
Readmissions.....	92	109	10	44	255
Total.....	407	350	160	235	1152

	MALES	FEMALES	TOTAL
Total on books during year.....	3260	3831	7091
Discharged from records:			
As recovered.....	89	54	143
As improved.....	157	150	307
As unimproved.....	20	34	54
As without Psychoses.....	6	0	6
Total.....	272	238	510
Died during the year.....	203	143	346
Total discharged and died..	475	381	856

On books last day of year:

	W. M.	W. F.	C. M.	C. F.	TOTAL
In Hospital.....	1616	2018	845	1098	5577
	MALES		FEMALES		TOTAL
On furlough.....		324		334	658
Total on records.....		2785		3450	6235
Daily average.....					5503
Applications for admission received.....					1596
Applications refused account overcrowding.....					431

General Statistics of Patient Population for the Year of 1932.

Patients on books first day of year:

	W.M.	W.F.	C.M.	C.F.	TOTAL
In Hospital.....	1616	2018	845	1098	5577
On furlough.....	253	222	71	112	658
Total.....	1869	2240	916	1210	6235
Admitted during the year.....	294	257	155	158	864
Total on books during the year	2163	2497	1071	1368	7099
Discharged during the year:					
As recovered.....	72	43	18	30	163
As improved.....	117	102	35	53	307
As unimproved.....	15	19	12	9	55
As without Psychoses.....	5	0	2	0	7
Total discharged.....	209	164	67	92	532
Died during the year.....	83	65	73	74	295
Total discharged and died..	292	229	140	166	827
On books last day of year:					
In Hospital.....	1641	2061	869	1117	5688
On furlough.....	230	207	62	85	584
Total.....	1871	2268	931	1202	6272
Average daily population.....					5671
Number of applications received during the year.....					1601
Number of applications refused account overcrowding.....					550

The two groups of statistical tables appended hereto contain Medical Statistics for the years 1931, and 1932.

Both tables-1-contain "diagnostic grouping of all patients in the hospital" at the end of each of the fiscal years, and this grouping shows that Dementia praecox (Schizophrenias) and Manic-depressive psychoses compose 60% of the total population, and that Dementia praecox is the leading clinical grouping. Of the 5,688 patient population at the

end of 1932, 2,286 were grouped as Dementia praecox, compared to 5,577 population at the end of 1931, composed of 2,198 Dementia praecox. This information indicates the importance of these two major psychoses in the mental disease problem. Mental deficiency with psychotic episodes and psychoses with epilepsies are the next largest groupings.

Of the 1932 population, the mental disorders of 184 patients were due to syphilis, 10 to alcohol, and 12 to drugs, compared to 162 syphilitics, 11 alcoholics, and 11 drug cases for the year 1931.

ADMISSIONS

1,601 applications for admission were received compared to 1,596 the previous year. 550 of the applications had to be refused account of overcrowding, compared to 431 the previous year.

864 were admitted compared to 1,152 the previous year, a decrease of 288.

Tables -2- give the "diagnostic grouping of patients admitted during the years of 1931 and 1932." The information contained in these tables, as well as that contained in tables -3- giving diagnostic groupings of first admissions, supports the idea noted with reference to the two major psychoses contained in tables -1.

FURLOUGHS, DISCHARGES AND DEATHS

758 patients were furloughed during the year, composed of 315 white males, 264 white females, 74 colored males, and 105 colored females. 847 were furloughed during 1931, composed of 340 white males, 290 white females, 89 colored males, and 128 colored females.

Of the 758 furloughed during 1932, 206 were restored and 392 improved, making a total of 598 restored or improved, or 69.1% of the total admissions.

Of the 847 patients furloughed during 1931, 206 were restored and 495 improved, making a total of 706 restored or improved, or 61.2% of the total admissions.

532 patients remained out of the Hospital beyond the twelve months furlough period and were discharged from the records. Of this number, 163 were restored and 307 improved, making a total of 470 or 54.3% of the total admissions.

A total of 295 deaths occurred during 1932 compared to 346 the previous year. Based on the total number under treatment gives a death rate 4.4% for the year 1932, and 5.3% for the year 1931. This death rate is the lowest on the records of the institution.

Arteriosclerosis with cerebral hemorrhage was the leading cause of death with a total of 49; Dementia paralytica 42, pulmonary tuberculosis 39, and epilepsies 27, other leading causes.

Leading causes in 1931 were: Arteriosclerosis with its complications, 71, pulmonary tuberculosis 58, Dementia paralytica 34, Pneumonia 31, and epilepsies 26.

CAPACITY OF THE HOSPITAL

The estimated total normal capacity of the thirteen brick buildings and fifteen one story frame buildings housing patients allowing adequate floor space for beds and day service is noted in the following tabulation giving population as of December 31, 1931 and 1932.

DECEMBER 31, 1931

	ACTUAL POPULATION	NORMAL CAPACITY	OVERCROWDED
White Male wards.....	1616	1339	277
White Female wards.....	2018	1615	403
Colored Male wards.....	845	665	180
Colored Female wards.....	1098	988	110
Total.....	5577	4607	970

DECEMBER 31, 1932

	ACTUAL POPULATION	NORMAL CAPACITY	OVERCROWDED
White Male wards.....	1641	1339	302
White Female wards.....	2061	1615	446
Colored Male wards.....	869	665	204
Colored Female wards.....	1117	988	129
Total.....	5688	4607	1081

The L. M. Jones Building (Psychopathic Hospital Building) opened on March 19, 1931, has considerably improved the environment to which most of the white patients are admitted. The first two floors of this building are reception wards for new admissions; the top floor is the sick ward for the physically sick and surgical cases. On this floor is a modernly equipped operating room and diet kitchen. The cafeteria is on the first floor. The basement has X-Ray, hydro-therapy, occupation-therapy, ear, eye, nose and throat examination rooms, and gymnasium.

We continue the admission of the most disturbed and destructive cases to old reception wards where there are rooms equipped with wire-guard windows, as such equipment was purposely left off the psychopathic hospital building in order to create a more favorable hospital environment.

During the past twenty-five years the hospital population has increased almost 100%, while room capacity added during this time is adequate for about 50% of the increase. There are now awaiting admission, 737 applicants, many of them very urgent cases confined in the various county jails of the State. This creates a serious and distressing situation that will gradually become worse unless more room is soon provided.

MEDICAL SERVICE

N. P. WALKER, M. D., CLINICAL DIRECTOR.

A mild epidemic of influenza affecting a small part of the hospital population is the only disease of epidemic character suffered by the hospital population. The general physical health of the patients has been good as indicated in the low death rate. One evidence of improved medical service may be noted in the problem of pellagra, which is recognized as a dietary deficiency disease, and while this disease is not as prevalent as formerly, the death rate has been greatly reduced. The records of the institution show that it was the cause of 220 deaths in 1915, compared to 11 in 1931 and three in 1932. Also twenty years ago there were fifty-one deaths from Dysentery and enteritis while there were only seven due to similar causes in 1932.

The death rate in the treatment of tuberculosis has been reduced 80% since 1905.

An analysis of the records of 109 cases of Dementia Paralytica who have received different treatments over a number of years, reveals a rather discouraging prospect compared to reports of others.

Their ages varied from sixteen to seventy years, the majority were in the fourth and fifth decades, seven were in the third. Eleven were too far advanced for special treatment. They died within from six weeks to three months after admission.

Prompted by favorable reports of others, fifty-six of the group were treated by the intravenous injection of ordinary triple typhoid vaccine as a fever producing agent. The course of treatment consisted of eighteen injections of progressively increasing doses on alternate days. A few patients were given two such courses of treatment. Twenty-four others of the group received the vaccine treatment followed by injections of Neosalvarsan, bismuth or both, usually a series of twenty injections, sometimes thirty or even forty.

Of the fifty-six patients treated with typhoid vaccine, one showed mental improvement after two years. Six improved for a few months with a later decline. Of the twenty-four patients treated with typhoid vaccine and followed by intravenous Neosalvarsan and bismuth, three showed mental improvement lasting from three and one-half to five years, and ten improved for shorter periods of time. The cerebrospinal fluid improved in seventeen, becoming negative in four.

Fourteen of the group were successfully inoculated with malaria. Of these fourteen, eleven were also treated with typhoid vaccine and six with Neosalvarsan and bismuth. Only three of the fourteen treated with malaria were improved for as long as two years, and each of these was treated also with Neosalvarsan and bismuth. Three of the group were treated with metals only and two of them showed improvement three to seven years duration. None of this group showed improvement in neurological manifestations.

As an example of the uncertainty of anticipating results of treatment of Dementia Paralytica, one case without any special treatment improved

soon after admission and still remains improved seventeen years since admission and daily helps with the ward work.

Of the ten patients with lasting improvement:

One received vaccine treatment only.

Three received vaccine and metal treatment.

Two received malaria and metal treatment.

Two received metal treatment only.

One received no special treatment.

The training of new attendants begun in 1924 was kept up and we think some worthwhile results have been obtained. No set rules can be laid down as in nursing physical diseases, because the cause of human behavior is very complex. Actual experience with an intelligent understanding of the mechanisms at work in the production of symptoms and situations, is essential.

Measures and methods that are successful in one case may not prove effective in another. Our experience with cases of *Dementia praecox* of long standing has demonstrated this, and in some instances recovery has resulted when there were indications that no such results might be anticipated.

During the current year we began the practice of assigning a senior nurse to a newly admitted patient with excellent results. We anticipate that the stimulus obtained from these satisfactory results will produce a growing interest and more effective results.

The psychiatric clinics at Macon, Elberton, Athens and the Boys Training School were continued. The clinic at Macon is held weekly on Friday afternoon. There were 140 first and 271 return visits at this clinic during the year and in addition the visiting staff member delivered two talks on mental hygiene before civic bodies in that city and lectured to the senior classes in the three Schools of Nursing. The Athens and Elberton Clinics were held monthly during the school term.

At Athens twenty-three children made first visits and two return visits. At Elberton there were thirty-seven first visits and fifty-three return visits. Several adult cases were seen in consultation at Athens and Elberton. The visiting psychiatrist at Athens also gave talks on mental disease to the teachers and graduate students majoring in psychology at the University of Georgia during each visit. The Department of Psychology of the University of Georgia collaborated in the work at Athens. A staff member made twenty-four visits at the Training School for Boys and made examinations of thirty-two of the pupils.

CHANGES IN MEDICAL STAFF

On account of the illness of Dr. N. P. Walker, Clinical Director, he was granted a leave of absence from duty by the Board, July 1931, and Dr. L. P. Longino was Acting Clinical Director during his absence.

We are glad to report that Dr. Walker's health became greatly improved and he was able to return to part time duty on October 1, 1932.

Dr. M. F. Langston, Interne, resigned June, 1931, to engage in general

practice. The services of Dr. L. A. Bailey were secured to fill the vacancy caused by Dr. Langston's resignation. Dr. Bailey assumed his duties September 2, 1931.

We were fortunate to secure the services of Dr. R. V. Lamar as Pathologist, beginning, July 1, 1931. Dr. Lamar's training of six years in Rockefeller's Institute of Medical Research in New York City, and additional study abroad, together with his work as Professor of Pathology and Bacteriology of the Medical Department of the University of Georgia for eighteen years, gives him a rich experience, and we anticipate that he will be able to render valuable service to the medical work of the Institution.

Dr. Jno. W. Mobley, Assistant Physician, who had been a member of the Medical Staff for many years and well beloved by all of his patients, officers, and employees, died of Septicaemia, August 15, 1932.

Dr. Evelyn Swilling Suarez was employed as Interne to fill the vacancy caused by Dr. Mobley's death, and begun her duties October 1, 1932. Dr. Swilling had served three years Internship at University Hospital at Augusta and was highly recommended.

SPECIAL PELLAGRA STUDY

The studies of the United States Public Health Service of diet in pellagra, begun in 1914 were continued through 1931 and 1932. Surgeon G. A. Wheeler was transferred to the National Institute of Health, Washington, D. C., July 1, 1931 on account of the death of Surgeon Joseph A. Goldberger.

Dr. D. J. Hunt was put in local charge of this work under the supervision of Dr. Wheeler who succeeded Dr. Goldberger.

A continuation of the tests of foodstuffs for their preventive value has been the chief work. The study of canned turnip greens, canned spinach, canned english peas, string beans, canned cabbage, collards, mustard greens, and kale were completed during 1931 and 1932.

The turnips, spinach, peas, cabbage, collards, and kale showed fair protective value. A study is now being made of the whole green onion, and green lettuce leaves. In addition, co-operation was extended the Medical Service in the study of the influence of a diet low in vitamin B on epileptics. The reduction in the number of seizures while on this diet was not as marked as previous results obtained with a diet low in the anti-pellagic vitamin.

LABORATORY REPORT

R. V. LAMAR, M. D., PATHOLOGIST.

SEROLOGICAL EXAMINATIONS

Blood Wassermann(Noguchi) test.....	1,233
Cerebrospinal fluid, wassermann test.....	401
Cerebrospinal fluid, colloidal gold test.....	401
Cerebrospinal fluid, globulin test.....	401
Cerebrospinal fluid, cell count.....	401

CLINICAL LABORATORY EXAMINATIONS

Urine, routine analyses.....	2,365
Urine, special chemical tests.....	204
Feces, for parasites or ova.....	932
Feces, chemical examination.....	2
Blood, chemical examination.....	93
Blood, for malarial parasites.....	64
Blood counts.....	895
Blood, Hemoglobin tests.....	243
Blood, color index.....	195
Blood grouping.....	19
Sputum for tubercle bacilli.....	154
Milk, Dextrose content.....	2
Milk, butter fat.....	331
Gastric contents.....	2

BACTERIOLOGICAL

Blood Culture.....	20
Blood Agglutination(Widal).....	33
Cerebrospinal fluid culture.....	1
Cerebrospinal fluid Film (Micro).....	1
Exudate Culture.....	10
Exudate Film(Micro).....	58
Exudate Animal inoculation.....	2
Milk, bacteria count.....	301
Vaccine, autogenous prepared.....	11
Water analyses.....	32
Skin scrapings.....	2

ANATOMICAL EXAMINATIONS GROSS AND MICROSCOPIC

Necropsies.....	20
Surgical Tissue, Gross and Microscopic.....	48
Cadavers embalmed.....	281

TOTAL..... 9,158

ROUTINE BLOOD WASSERMANN TESTS

RACE	SEX	EXAMINED	POSITIVE (4 plus)	PERCENTAGE (4 plus)
White.....	Males.....	296	18	6.0
White.....	Females.....	256	8	3.1
Colored.....	Males.....	153	45	29.4
Colored.....	Females.....	164	37	21.9
TOTAL.....		869	108	12.4

ROUTINE SPINAL FLUID EXAMINATION OF THOSE HAVING
POSITIVE BLOOD WASSERMANN

RACE	SEX	EXAMINED	4 PLUS POSITIVE	PERCENTAGE
White.....	Males.....	18	12	66.6
White.....	Females.....	8	2	25.0
Colored.....	Males.....	45	27	60.0
Colored.....	Females.....	37	7	18.9
TOTAL.....		108	48	44.4

There were twelve white males and four colored males with spinal fluid findings of Neurosyphilis, but whose blood wassermann were negative. Other spinal tests and experimental work and teachings not itemized above were done by Dr. Lamar.

SCHOOL OF NURSING

MRS. MAE M. JONES, R. N., SUPERINTENDENT.

Due to the over supply of graduate nurses throughout the country, only six probationers were enrolled during the year. A total of twenty-three student nurses begun 1932 classes, but one died, one married, and one withdrew, leaving twenty, compared to twenty-eight the year 1931.

In order to comply with the requirements of the American Psychiatric Association, and the American Red Cross Nursing Service, the affiliation was extended to nine months in a general hospital, and at present our junior year students are sent to Grady Hospital, Atlanta, Ga., where a satisfactory course is given them. The curriculum conforms as closely as possible to the National Curriculum published by the National League of Nursing Education.

The Case study which was introduced in the school this year, and has already been mentioned, has also been a great help toward the education of the nurses to the problems involved in nursing mental patients and has resulted in quite an improvement in the nursing service.

This feature of the nursing service is, therefore, being extended as rapidly as possible to all wards.

A three months post graduate course in nursing mental disease was given one graduate nurse, Miss Inez Gay of Crawford W. Long Hospital, Atlanta.

The annual commencement in 1931 was held May 21. Dr. E. L. Hill, Pastor of First Presbyterian Church, Athens, delivered Class Address. and Hon. Jno. T. Brantley of Blackshear, President of the Board of Trustees, delivered the diplomas.

The annual commencement in 1932 was held May 9, and the class address was delivered by Judge J. E. D. Shipp, and diplomas were delivered by Hon. Marion Allen, both members of the Board of Control.

The following were given diplomas in 1931:

Miss Pauline Bowdoin.....	Milledgeville, Ga.
Miss Ethel Clark.....	Atlanta, Ga.
Miss Juanita Collins.....	Stillmore, Ga.
Miss Virginia Collins.....	Stillmore, Ga.
Miss Erma Curry.....	Dublin, Ga.
Miss Joyce Goddard.....	Milledgeville, Ga.
Miss Bernice Henry.....	Stillmore, Ga.
Miss Idel Kitchens.....	Dry Branch, Ga.
Miss Kittie McCorkle.....	Thompson, Ga.
Miss Minnie Overton.....	Thompson, Ga.

The following were given diplomas in 1932:

Miss Ceila Irene Collins.....	Milledgeville, Ga.
Miss Ruby Mae Davis.....	McIntyre, Ga.
Miss Winnie Ruth Davis.....	McIntyre, Ga.
Miss Sallie Mae Lyons.....	Mitchell, Ga.
Miss Mattie Lou Martin.....	Dublin, Ga.
Miss Orain Idell McCook.....	Gordon, Ga.
Miss Nora Spinks.....	Ft. Valley, Ga.
Miss Myra Inez Spivey.....	Milledgeville, Ga.
Miss Sue Torrance.....	Milledgeville, Ga.

DENTAL DEPARTMENT

G. H. GREEN, D. D. S.

J. C. ADCOCK, D. D. S.

The following is an itemized report of the dental work during the year 1932:

Extractions.....	3,714
Infiltration anaesthesias.....	1,895
Conductive anaesthesias.....	743
Ethylchloride anaesthesias.....	24
Alveolotamies.....	88
Incisions sutured.....	4
Post operative treatments.....	176
Amalgam fillings.....	206
Cement fillings.....	88
Gutta percha fillings.....	13
Synthetic porcelain.....	63
Gold inlays.....	13
Gold inlays, reset.....	5
Nerve cappings.....	3
Nerve treatments.....	4
Nerves devitalized.....	4
Root treatments.....	22
Root fillings.....	13
Abscess lanced.....	45
Abscesses treated.....	20
Lancing gums over 3rd molar.....	7
Treating gums about 3rd molar.....	87
Excessive hemorrhage arrested.....	5
Treatments for erosions.....	2
Treatments for pyorrhoea alveolaris.....	43
Cleaning teeth (number of patients).....	40
Scaling teeth (number of patients).....	189
Treatments for acute odontalgia.....	24
Treatments for oral ulcers.....	12
Treatments for Stomatitis.....	5
Treating gums (number of patients).....	160
Curetting alveolar process.....	10
Plates made.....	30
Plates repaired.....	33
Plates rebased.....	8
Gold crowns.....	2
Porcelain crowns.....	1
Crowns removed.....	6
Crowns re-set.....	1

Bridges removed	23
Bridges made	2
Bridges repaired	5
Bridges re-set	7
Disfigured teeth shaped up (number of patients)	83
Impacted 3rd molars removed	36
Sequestra removed	1
Radiographs	278
Calls to wards	334
Number of new and returned patients examined	925
Number of patients treated	2,068
Total number of operations and treatments	8,243

OCCUPATIONAL-THERAPY AND DIVERSIONS

Miss Frances Rogers, a recent graduate of the Philadelphia School of Occupational Therapy, took charge of this Department February 1, 1932. Some renewed interest and expansion in this type of treatment has occurred during the year.

An additional work shop was opened for white females, and one for white males in the Jones and Whittle Buildings respectively, making a total of eleven workshops now daily used except on Sundays.

The commissary fund has helped out considerably in providing diversion and entertainments for the patients. During the past several years several radios have been purchased and placed on the wards. Two daily newspapers, twenty-five Sunday editions and eighteen magazines were subscribed for during the current year. Also a chorus of male and female voices has been under the training of Mrs. Helen Longino and has taken an active part in concerts, minstrels, pageants, and other forms of entertainments. Refreshments and prizes for patients' parties have been provided. Beauty parlor equipment, baseball, and volley ball outfits have also been purchased. 1,723 patients who did not anticipate Christmas gifts from home were provided with something at Christmas.

The Melodrama, "Heaven Bound" was twice presented by a chorus of colored patients and employees at the colored building, and so greatly enjoyed by the patients we had them to repeat it at the Amusement Hall to the white patients and they also greatly enjoyed it. This presentation was gotten up entirely by the colored personnel assisted by the Supervisor of the Colored Department.

ENGINEERING DEPARTMENT

W. S. JETT, ENGINEER.

The following are the principal improvements and repairs made during 1931 and 1932:

Grading yards at Twin Buildings.

Renewal of steam line from Laundry boiler room to laboratory.

Lowering old water main in several places where it had become exposed.

Fire plugs installed around Jones Building.

Mortuary cooler installed at Laboratory.

Dairy barn repaired and recovered.

Cottages occupied by Dr. Lamar, Morgan Thompson, and George Edwards, repaired and repainted.

Sterilizing equipment transferred and installed Jones Building.

Sterilizing equipment D Ward transferred to Colored Building.

Telephone cables at Twin Buildings and Male Convalescent were put under ground in creosoted wooden duct, all telephone lines are now under ground except Colony and waterworks. Line to Colony was repaired. The new additions to Waterworks were completed consisting of concrete coagulation basin with a two million gallon capacity in twenty-four hours. Two three-quarter million gallon concrete filters with modern control and metering apparatus, a 50,000 gallon filter was water tank.

A new type M. S. P. M. Chlorinator.

An emergency gasoline motor driven pump.

An indicating flow and record meter.

Filled up the two old coagulation basins and graded the grounds and completed levee to protect Water Plant during freshets.

New bakery building was completed and modern equipment installed.

The drainage and steam system of laundry remodeled and the following equipment installed:

1—120"—8 roll flat work ironer, with Hamilton spring rolls.

3—48 x 72 motor driven cascade washers.

1—40 x 60 Drying tumbler.

2—Steam foot power presses.

A new hot water heater installed in room adjacent to laundry boiler room to supply laundry, two detach buildings and bakery.

The office of Steward remodeled and repainted.

Old operating room on white female infirmary remodeled for beauty parlor.

Wooden floors in bath rooms on first, second, and infirmary white female wards, torn out and concrete floors put in

New X-Ray equipment installed in Jones Building and Dental

X-Ray equipment installed in dental office of Green Building.

Two new motion picture projectors, with sound equipment installed in Amusement Hall.

A water cooler was installed on 24, white female ward, that also provides ice water on the 25th and 26th wards.

FARM, GARDEN AND DAIRY

F. C. PENUEL, FARM STEWARD.

The following are the main vegetables and other principal foods produced during 1931 and 1932:

	1931	1932
Beans, Butter.....	252 Bu.	497 Bu.
Beans, Snap.....	1,406 Bu.	946 Bu.
Beans, Otoo-tan.....	256 Bu.	559 Bu.
Beef.....	13,295 Lbs.	48,975 Lbs.
Beets.....	185 Bu.	90 Bu.
Cabbage.....	50,925 Heads	33,875 Heads
Collards.....	2,843 Heads	138,758 Heads
Cantaloupes.....	28,059	47,130
Corn.....	10,555 Bu.	12,500 Bu.
Corn, roasting ears.....		17,061
Corn Meal.....		1,632 Bu.
Cucumbers.....	70 Bu.	12 Bu.
Ensilage.....	850 Tons	700 Tons
Fodder.....	56 Tons	75 Tons
Hay, Oats and Vetch.....	297 Tons	153 Tons
Lettuce.....	3,920 Heads	600 Heads
Milk.....	53,912 Gals.	45,958 Gals.
Oats, threshed.....	739 Bu.	416 Bu.
Okra.....	393 Bu.	558 Bu.
Onions.....	568 Bu.	720 Bu.
Peas.....	2,585 Bu.	1,049 Bu.
Pecans.....	3,400 Lbs.	3,000 Lbs.
Pork.....	41,125 Lbs.	36,165 Lbs.
Potatoes, Irish.....	1,197 Bu.	839 Bu.
Potatoes, Sweet.....	8,337 Bu.	11,761 Bu.
Rape.....	2,311 Bu.	2,371 Bu.
Rutabagas.....		647 Bu.
Spinach.....	110 Bu.	
Squash.....	298 Bu.	909 Bu.
Wheat.....		255 Bu.
Watermelons.....	20,020	24,830

Since 1927 when quite a large number of the dairy herd was found infected with tuberculosis and slaughtered, we have been endeavoring by occasional repeated tests and sanitary measures, to get the herd free from this disease. The last two tests during 1932 gave only one reactor, but a test for contagious abortion during the year showed sixty-five positive reactors and suspects. All tuberculosis and contagious abortion reactors were slaughtered according to instructions of the State Veterinary Department. The last test for contagious abortion in December 1932, found only two reactors.

We hope the herd is now in a healthy condition, although we may anticipate a few additional reactors from time to time.

We are glad to report some reduction in the operating cost of the dairy during the year 1932.

NEEDS OF THE HOSPITAL

The most urgent need confronting the Hospital is the payment of the \$500,000.00 appropriated by the 1929 Legislature for additional buildings. The present overcrowding of 1,000 patients makes it necessary to admit new applicants only as vacancies occur and there are now 700 applicants awaiting admission and many of them are confined in the various county jails over the State. This number awaiting admission will gradually increase unless additional room is provided. The county jails are not the proper places for these unfortunates to be confined. There are other needs of the institution referred to in previous reports but are omitted at this time on account of the present financial situation.

CONCLUSION

I am deeply grateful to the members of the Board for their confidence and support, and particularly the Hospital Committee of the Board for their support and unselfish devotion to the Welfare of the Institution.

I also wish to thank the officers and employees for their splendid loyalty and faithful discharge of duties, because the success obtained in the operation of the institution were greatly due to their co-operation.

Respectfully submitted,
R. C. SWINT,
Superintendent.

FINANCIAL STATEMENT
STATEMENT CASH RECEIPTS AND DISBURSEMENTS
FISCAL YEAR ENDING DECEMBER 31, 1932

RECEIPTS		DISBURSEMENTS		
REVENUE		GOVERNMENTAL COST	EXPENSE	OUTLAY
Sales.....	\$ 3,644.63	Personal Services.....	\$ 507,953.90	\$ 1,055.03
Board.....	1,974.91	Travel Expenses.....	746.97	
Rents.....	35.00	Supplies and Materials.....	503,923.96	
Fines.....	54.50	Communication.....	2,425.89	
Donations.....	5.00	Heat Light, Power and Water	26,864.76	
Money found-effects deceased		Printing.....	1,009.03	
patient.....	2.51	Repairs and Alterations.....	3,147.80	
Interest on Deposits.....	965.39	Rents.....	39.47	
		Miscellaneous.....	462.11	
Total Revenue Receipts.....	\$ 6,681.94	Insurance and Bonding.....	5,081.47	
NON-REVENUE		Interest.....	78.13	18,048.49
Transfer-From Board of Control.....	\$ 1,124,301.97	Equipment.....	45,051.53	38,451.29
Private Trust Fund-Patients		Buildings and Structures....		
Deposits.....	19,023.35	Total.....	\$ 1,096,785.02	\$ 57,554.81
		Total Governmental Cost		1,154,339.83
Total Non-revenue receipts	\$ 1,143,325.32	NON-GOVERNMENTAL COST		
CASH BALANCE, JAN. 1, 1932		Transfers to Board of Control	4,209.88	
General Funds.....	50,494.68	Private Trust Fund		
Private Trust Fund.....	11,963.27	Patients Deposits Withdrawals	18,520.20	
		Total non-governmental cost		\$ 22,730.08
Total Balances.....	\$ 62,457.95			
Total Receipts and Cash				

Balances.....	\$ 1,212,465.21	CASH BALANCES DECEMBER 31, 1932	
		General Funds.....	\$ 22,928.88
		Private Trust Funds.....	12,466.42
		Total Balances.....	\$ 35,395.30
	<u>\$ 1,212,465.21</u>	Total Payment and Cash Balances.....	<u>\$ 1,212,465.21</u>
		GOVERNMENTAL COST PAYMENTS BY FUNCTIONS	
		Charities, Hospitals and Corrections, Hospitals for Insane.....	\$ 1,153,261.70
		Interest on Overdrafts.....	78.13
		Total.....	\$ 1,154,339.83

PROFIT AND LOSS STATEMENT, FARM, GARDEN AND DAIRY

EXPLANATORY	FARM AND GARDEN		DAIRY		TOTAL	
	Dr.	Cr.	Dr.	Cr.	Dr.	Cr.
Inventory at Beginning of Year.....	\$23,618.32		\$9,695.10		\$33,313.42	
<i>Purchases During Year</i>						
Commercial Fertilizer.....	5,991.30				5,991.30	
Compost.....	3,000.00				3,000.00	
Seed for Planting.....	1,500.08				1,500.08	
Commercial Feeds.....	364.35		6,357.31		6,721.66	
Home Grown Feeds.....			4,149.25		4,149.25	
Total.....	\$34,474.05		\$20,201.66		\$54,675.71	
DEDUCT						
Inventory at End of Year.....	24,948.57		9,580.10		34,528.67	
Cost of Production, Etc.....	\$9,525.48		\$10,621.56		\$20,147.04	
PRODUCTION DURING YEAR						
Sweet Milk.....		\$1,717.10		\$14,174.90		\$15,892.00
Miscellaneous Food Supplies.....		191.50				191.50
Fruits and Vegetables.....		32,488.56				32,488.56
Packing House Products.....		1,764.15		3,258.08		5,022.23
Poultry and Eggs.....		684.58				684.58
Miscellaneous Feed Stuffs.....		5,249.25				5,249.25
Cash Sales.....		2.50				2.50
Cream.....				22.50		22.50
Compost.....				3,000.00		3,000.00
Green Hides.....				43.25		43.25
Total.....	\$9,525.48	\$42,097.64	\$10,621.56	\$20,498.73	\$20,147.04	\$62,596.37

Gross Profit for Year.....	32,572.16		9,877.17		42,449.33	
Total.....	\$42,097.64	\$42,097.64	\$20,498.73	\$20,498.73	\$62,596.37	\$62,596.37
Gross Profit Down.....		\$32,572.16		\$9,877.17		\$42,449.33
<i>Cost of Operation</i>						
Wages and Labor.....	\$11,442.85		\$3,552.72		\$14,995.57	
Miscellaneous Supplies and Materials.....	1,296.21		219.05		1,515.26	
Board of Employees.....	2,753.14		620.00		3,373.14	
Freight and Express.....			76.57		76.57	
Total.....	\$15,492.20	\$32,572.16	\$4,468.34	\$9,877.17	\$19,960.54	\$42,449.33
Net Profit for Year.....	17,079.96		5,408.83		22,488.79	
Total.....	\$32,572.16	\$32,572.16	\$9,877.17	\$9,877.17	\$42,449.33	\$42,449.33
New Profit Down.....		\$17,079.96		\$5,408.83		\$22,488.79

MEDICAL STATISTICAL TABLES

FOR

1931 — 1932

TABLE 1

Diagnostic Grouping of all Patients in the Hospital, December 31st, 1932.

PSYCHOSES	WHITE		COLORED		Total	%
	M.	F.	M.	F.		
Traumatic.....	6	0	0	0	6	.10
Senile.....	13	31	5	34	83	1.48
With cerebral arteriosclerosis.....	80	25	47	34	186	3.33
General paralysis of the insane.....	80	13	41	19	153	2.74
With cerebral syphilis.....	1	0	3	5	9	.16
With Huntington's chorea.....	4	2	0	1	7	.12
With brain tumor.....	0	0	0	0	0	0
With brain and nervous disease.....	26	26	14	4	70	1.25
Due to alcohol.....	8	0	3	0	11	.19
Due to drugs.....	9	2	0	0	11	.19
With pellagra.....	15	12	7	22	56	1.00
With other somatic disease.....	9	15	8	5	37	.66
Manic depressive.....	243	458	186	282	1169	20.96
Dementia praecox.....	571	777	290	560	2198	39.41
Paranoid condition.....	12	18	0	4	34	.60
With epilepsy.....	133	148	90	48	419	7.53
Psychoneurosis or neurosis.....	10	24	0	1	35	.62
With psychopathic personality.....	17	19	1	2	39	.71
With mental deficiency.....	260	274	128	68	730	13.08
Unclassified.....	115	171	20	9	315	5.64
Not insane.....	1	0	0	0	1	.01
Epilepsy, not insane.....	0	2	1	0	3	.05
Mental deficiency, not insane.....	2	1	0	0	3	.05
Psychopathic personality, not insane....	1	0	1	0	2	.03
Total.....	1616	2018	845	1098	5577	

TABLE 2

Diagnostic Grouping of Patients Admitted During the Year 1931.

PSYCHOSES	WHITE		COLORED		Total	%
	M.	F.	M.	F.		
Traumatic.....	5	0	0	0	5	.43
Senile.....	13	7	2	3	25	2.17
With cerebral arteriosclerosis	36	13	16	10	75	6.51
General paralysis of the insane.....	30	5	23	10	68	5.90
With cerebral syphilis.....	0	0	2	2	4	.34
With Huntington's chorea.....	1	0	0	0	1	.08
With brain tumor.....	1	0	0	0	1	.08
With brain and nervous disease.....	6	5	0	0	11	.95
Due to alcohol.....	8	0	1	0	9	.78
Due to drugs.....	5	6	0	0	11	.95
With pellagra.....	9	13	3	16	41	3.56
With other somatic disease.....	4	3	2	1	10	.86
Manic depressive.....	102	124	41	86	353	30.64
Dementia praecox.....	77	96	25	80	278	24.13
Paranoia or paranoid condition.....	0	0	0	0	0	0
With epilepsy.....	18	13	17	8	56	4.86
Psychoneurosis or neurosis.....	6	12	0	1	19	1.64
With psychopathic personality.....	8	8	0	0	16	1.38
With mental deficiency.....	23	20	18	6	67	5.81
Unclassified.....	47	23	8	12	90	7.80
Not insane.....	1	0	0	0	1	.08
Alcoholism, not insane.....	1	0	0	0	1	.08
Drug addict, not insane.....	1	0	0	0	1	.08
Mental deficiency, not insane.....	0	1	1	0	2	.17
Psychopathic personality, not insane....	5	1	1	0	7	.69
Total.....	407	350	160	235	1152	

TABLE 3

Diagnostic Grouping of First Admissions During the Year 1931.

PSYCHOSES	WHITE		COLORED		Total	%
	M.	F.	M.	F.		
Traumatic.....	5	0	0	0	5	.43
Senile.....	13	7	2	3	25	2.17
With cerebral arteriosclerosis	32	11	16	10	69	5.98
General paralysis of the insane.....	27	4	23	10	64	5.55
With cerebral syphilis.....	0	0	2	2	4	.34
With Huntington's chorea.....	1	0	0	0	1	.08
With brain tumor.....	1	0	0	0	1	.08
With brain and nervous disease.....	6	3	0	0	9	.78
Due to alcohol.....	6	0	1	0	7	.69
Due to drugs.....	5	5	0	0	10	.86
With pellagra.....	5	12	3	14	34	2.95
With other somatic disease.....	4	2	2	1	9	.78
Manic depressive.....	60	76	37	56	229	19.87
Dementia praecox.....	60	61	22	71	214	18.57
Paranoia or paranoid condition.....	0	0	0	0	0	0
With epilepsy.....	13	12	16	8	49	4.25
Psychoneurosis or neurosis.....	6	7	0	1	14	1.21
With psychopathic personality.....	8	4	0	0	12	1.72
With mental deficiency.....	17	16	17	6	56	4.86
Unclassified.....	41	20	7	9	77	6.68
Not insane.....	1	0	0	0	1	.08
Mental deficiency, not insane.....	0	0	1	0	1	.08
Psychopathic personality, not insane....	4	1	1	0	6	.66
Total.....	315	241	150	191	897	

TABLE 4

Diagnostic Grouping of Re-Admissions During the Year 1931.

PSYCHOSES	WHITE		COLORED		Total
	M.	F.	M.	F.	
Traumatic.....	0	0	0	0	0
Senile.....	0	0	0	0	0
With cerebral arteriosclerosis	4	2	0	0	6
General paralysis of the insane.....	3	1	0	0	4
With cerebral syphilis.....	0	0	0	0	0
With Huntington's chorea.....	0	0	0	0	0
With brain tumor.....	0	0	0	0	0
With brain and nervous disease.....	0	2	0	0	2
Due to alcohol.....	2	0	0	0	2
Due to drugs.....	0	1	0	0	1
With pellagra.....	4	1	0	2	7
With other somatic disease.....	0	1	0	0	1
Manic depressive.....	42	48	4	30	124
Dementia praecox.....	17	35	3	9	64
Paranoia or paranoid condition.....	0	0	0	0	0
With epilepsy.....	5	1	1	0	7
Psychoneurosis or neurosis.....	0	5	0	0	5
With psychopathic personality.....	0	4	0	0	4
With mental deficiency.....	6	4	1	0	11
Unclassified.....	6	3	1	3	13
Not insane.....	0	0	0	0	0
Alcoholism, not insane.....	1	0	0	0	1
Drug addict, not insane.....	1	0	0	0	1
Mental deficiency, not insane.....	0	1	0	0	1
Psychopathic personality, not insane.....	1	0	0	0	1
Total.....	92	109	10	44	255

FURLOUGHS

	WHITE								COLORED								Total
	MALE				FEMALE				MALE				FEMALE				
	R.	I.	U.	S.	R.	I.	U.	S.	R.	I.	U.	S.	R.	I.	U.	S.	
Traumatic.....	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
Senile.....	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Arteriosclerosis.....	1	15	4	0	0	2	1	0	0	1	0	0	0	4	0	0	28
General paralysis of the insane.....	0	10	2	0	0	2	2	0	0	0	2	0	0	5	0	0	23
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2
With brain and nervous disease.....	0	3	1	0	0	1	5	0	0	1	0	0	0	0	0	0	11
Due to alcohol.....	12	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	16
Due to drugs.....	8	2	1	0	6	1	0	0	0	0	0	0	0	0	0	0	18
With pellagra.....	1	4	0	0	2	8	0	0	0	1	0	0	3	1	0	0	20
With somatic disease.....	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	2
Manic depressive.....	45	70	3	0	30	96	15	0	14	25	6	0	28	29	2	0	363
Dementia praecox.....	2	53	16	0	6	36	26	0	1	5	6	0	7	20	9	0	187
Paranoid.....	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
With epilepsy.....	0	10	8	0	0	7	4	0	1	2	7	0	0	0	0	0	39
With psychopathic personality.....	4	5	0	0	1	3	0	0	0	0	0	0	0	0	0	0	13
Psychoneurosis.....	3	2	1	0	2	4	2	0	0	0	0	0	0	0	0	0	14
With mental deficiency.....	5	8	2	0	0	4	2	0	0	5	2	0	1	1	0	0	30
Unclassified.....	13	14	3	0	4	12	3	0	2	7	0	0	3	11	2	0	74
Psychopathic personality, not insane.....	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Epilepsy, not insane.....	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Total.....	98	200	41	1	52	176	61	1	19	47	23	0	42	72	14	0	847
	340				290				89				128				

*R—Restored.
I—Improved.

U—Unimproved.
S—Not Insane.

TABLE 6
DISCHARGES

	WHITE								COLORED								Total
	MALE				FEMALE				MALE				FEMALE				
	R.	I.	U.	S.	R.	I.	U.	S.	R.	I.	U.	S.	R.	I.	U.	S.	
Traumatic.....	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Senile.....	0	0	0	0	0	1	2	0	0	0	1	0	0	0	0	0	4
With cerebral arteriosclerosis.....	0	9	0	0	0	2	0	0	2	1	0	0	0	3	1	0	18
General paralysis of the insane.....	0	1	1	0	0	1	0	0	0	3	0	0	0	2	0	0	8
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
With brain and nervous disease.....	0	4	0	0	0	1	1	0	0	0	0	0	0	0	0	0	6
Due to alcohol.....	7	3	0	0	0	1	0	0	0	0	0	0	2	0	0	0	13
Due to drugs.....	6	0	0	0	4	2	0	0	0	0	0	0	0	0	0	0	12
With pellagra.....	8	3	0	0	3	1	0	0	2	1	0	0	5	3	0	0	26
With somatic disease.....	1	1	0	0	0	1	0	0	0	0	1	0	0	0	0	0	4
Manic depressive.....	40	39	6	0	21	45	7	0	12	30	3	0	8	22	2	0	235
Dementia praecox.....	2	18	0	0	1	14	9	0	1	4	3	0	2	15	5	0	74
With epilepsy.....	0	2	2	0	0	2	1	0	0	1	0	0	0	4	0	0	12
Psychoneurosis.....	0	5	0	0	4	4	0	0	0	0	0	0	0	1	0	0	14
With psychopathic personality.....	1	1	0	0	0	2	1	0	0	0	0	0	1	2	0	0	8
With mental deficiency.....	0	8	1	0	2	2	0	0	1	1	1	0	0	2	0	0	18
Unclassified.....	4	11	1	0	0	6	3	0	2	7	0	0	1	11	2	0	48
Not insane.....	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Alcoholism, not insane.....	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Drug addict, not insane.....	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Psychopathic personality, not insane.....	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	3
Total.....	69	107	11	6	35	85	24	0	20	50	9	0	19	65	10	0	510
	193				144				79				94				

*R—Restored.
I—Improved.

U—Unimproved.
S—Not insane.

TABLE 7

Causes of Death of Patients Who Died During the Year 1931.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Abscess, appendiceal.....	1	0	0	0	1
Abscess, lung.....	0	0	1	0	1
Accidental burn.....	0	1	0	0	1
Accidental suffocation.....	1	0	0	0	1
Aneurysm.....	0	0	0	1	1
Arterio-sclerosis.....	19	7	16	1	43
Asthma, acute bronchial.....	1	0	0	0	1
Carcinoma.....	4	9	0	0	13
Cellulitis.....	1	0	0	1	2
Cerebral hemorrhage.....	14	4	7	3	28
Cirrhosis of liver.....	1	0	0	0	1
Convulsions, cause not determined.....	0	1	0	0	1
Diabetes.....	0	0	1	0	1
Dysentery.....	0	1	0	0	1
Embolism, coronary artery.....	0	1	0	0	1
Encephalitis.....	1	1	1	0	3
Enteritis.....	1	1	0	0	2
Enteritis, tuberculous.....	1	0	0	0	1
Epilepsy.....	10	6	5	5	26
Erysipelas.....	1	1	0	0	2
Exhaustion from acute mental disease.....	0	2	3	2	7
Exophthalmic goiter.....	0	0	0	1	1
Gastric ulcer.....	0	1	0	1	2
General paralysis of the insane.....	14	3	12	5	34
Heart failure following food aspiration.....	0	1	0	0	1
Hemorrhage, pulmonary.....	0	0	0	1	1
Intestinal obstruction, acute.....	1	0	0	3	4
Killed by lightning.....	0	0	1	0	1
Myocarditis, chronic.....	9	5	0	5	19
Nephritis, acute.....	0	0	3	0	3
Nephritis, chronic.....	2	1	2	1	6
Organic brain disease, tumor.....	1	0	0	0	1
Organic brain disease.....	0	4	0	0	4
Pellagra.....	2	3	2	4	11
Peritonitis.....	1	2	0	0	3
Pneumonia, broncho.....	14	6	0	1	21
Pneumonia, lobar.....	3	5	2	0	10
Pneumonia, hypostatic.....	0	0	1	0	1
Pulmonary edema.....	0	1	0	0	1
Pulmonary tuberculosis.....	12	9	16	21	58
Shock following operation.....	0	0	1	0	1
Suicide by hanging.....	1	1	0	0	2
Suicide by formaldehyde.....	0	0	0	1	1
Syphilis.....	1	0	2	1	4
Tuberculosis of knee.....	0	0	0	1	1
Unknown.....	2	2	5	4	13
Valvular heart disease.....	3	1	0	0	4
Total.....	122	80	81	63	346

TABLE 8

SURGERY

Abscess, elbow, incised and drained.....	1
Abscess, hip, incised.....	1
Abscess, jaw, drainage of.....	1
Abscess, leg, drainage of.....	1
Abscess, maxilla, drainage of.....	1
Acute obstruction, operation for.....	1
Appendectomies.....	10
Carbuncle, incised.....	1
Cataract, extraction of.....	4
Circumcision.....	1
Cystotomy, suprapubic.....	2
Dilatation and currecttage uterus.....	4
Dislocated shoulder, reduction of.....	2
Enucleation of eye.....	1
Enucleation of lacrymal cyst.....	1
Ethoidectomy.....	2
Excision of mole.....	1
Fracture, clavicle, treatment for.....	1
Fracture, Collis, treatment for.....	2
Fracture, femur, treatment for.....	3
Fracture, humerus, treatment for.....	2
Fracture, radius, treatment for.....	1
Fracture, ulna, treatment for.....	1
Hemorrhoidectomy.....	3
Herniotomy.....	4
Infecred hand, incised.....	1
Iridectomy.....	1
Mastoidectomy.....	2
Maxillary sinus, operation for.....	1
Muscle operation for squint.....	15
Nasal polypus, removal of.....	2
Ovarian cyst, removal of.....	4
Ovarian cyst, drainage of.....	1
Ovariectomy.....	1
Perineorrhaphy.....	1
Pterygium, transplantaion of.....	12
Sterilization.....	2
Submucous resection.....	3
Suspension of uterus.....	4
Tonsillectomy.....	47
Trachelorrhaphy.....	1

TABLE 9

Admissions From Various Counties During the Year 1931.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Appling.....	1	0	1	1	3
Atkinson.....	0	0	0	1	1
Bacon.....	2	0	0	1	3
Baker.....	0	0	2	2	4
Baldwin.....	2	6	3	3	14
Barrow.....	5	3	0	1	9
Bartow.....	5	4	1	1	11
Ben Hill.....	5	2	0	1	8
Berrien.....	3	1	0	0	4
Bibb.....	12	13	5	8	38
Bleckley.....	3	2	0	1	6
Brantley.....	0	2	0	0	2
Brooks.....	4	3	1	0	8
Bryan.....	0	0	3	1	4
Bulloch.....	2	2	0	3	7
Burke.....	3	2	5	4	14
Butts.....	1	4	0	0	5
Campbell.....	5	1	0	2	8
Camden.....	2	1	1	0	4
Candler.....	2	0	1	1	4
Carroll.....	3	3	0	1	7
Catoosa.....	2	0	0	0	2
Charlton.....	1	1	0	1	3
Chatham.....	20	16	25	23	84
Chattohoochee.....	0	1	0	1	2
Chattooga.....	2	2	0	1	5
Cherokee.....	5	0	0	0	5
Clark.....	1	2	0	0	3
Clayton.....	1	2	1	0	4
Clinch.....	1	1	2	0	4
Cobb.....	8	6	1	0	15
Coffee.....	1	1	1	0	3
Colquitt.....	6	2	2	0	10
Columbia.....	2	0	2	1	5
Cook.....	4	1	0	0	5
Coweta.....	2	5	2	3	12
Crawford.....	1	1	0	0	2
Crisp.....	1	2	1	1	5
Dade.....	1	1	0	0	2

TABLE 9—Continued.

Admissions From Various Counties During the Year 1931.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Dawson.....	1	2	0	0	3
Decatur.....	1	2	2	2	7
DeKalb.....	7	10	1	1	19
Dodge.....	2	4	1	1	8
Dooley.....	1	1	0	1	3
Dougherty.....	1	4	0	3	8
Douglas.....	3	2	0	2	7
Early.....	2	1	1	0	4
Echols.....	1	0	0	0	1
Effingham.....	1	4	2	2	9
Elbert.....	1	5	0	3	9
Emanuel.....	1	2	2	1	6
Evans.....	0	1	0	2	3
Fannin.....	4	2	0	0	6
Fayette.....	2	2	1	1	6
Floyd.....	8	8	2	2	20
Forsyth.....	2	3	0	0	5
Franklin.....	5	4	0	1	10
Fulton.....	36	37	12	20	105
Gilmer.....	1	0	0	0	1
Glascock.....	0	0	1	0	1
Glynn.....	1	1	2	3	7
Gordon.....	5	5	0	0	10
Grady.....	4	2	1	1	8
Greene.....	3	1	2	0	6
Gwinnett.....	9	6	0	2	17
Habersham.....	4	1	0	0	5
Hall.....	4	7	1	0	12
Hancock.....	1	3	1	4	9
Haralson.....	6	1	1	1	9
Harris.....	2	0	1	3	6
Hart.....	1	3	0	1	5
Heard.....	1	2	0	0	3
Henry.....	10	5	1	1	17
Houston.....	1	1	1	0	3
Irwin.....	1	0	0	0	1
Jackson.....	3	4	0	2	9
Jasper.....	0	3	0	1	4

TABLE 9—Continued.

Admissions From Various Counties During the Year 1931.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Jeff Davis.....	0	1	0	1	2
Jefferson.....	2	2	1	0	5
Jenkins.....	1	0	4	0	5
Johnson.....	4	1	0	2	7
Jones.....	1	0	0	2	3
Lamar.....	2	1	1	2	6
Laurens.....	2	3	1	2	8
Lee.....	0	0	1	1	2
Liberty.....	0	0	0	1	1
Lincoln.....	0	2	0	0	2
Long.....	0	0	1	1	2
Lowndes.....	3	3	0	4	10
Macon.....	1	1	3	0	5
Madison.....	2	0	0	1	3
Marion.....	2	0	0	0	2
McDuffie.....	2	1	0	2	5
McIntosh.....	0	0	1	0	1
Meriwether.....	1	3	1	2	7
Miller.....	0	1	0	0	1
Mitchell.....	1	2	2	1	6
Monroe.....	1	2	1	3	7
Montgomery.....	0	0	3	1	4
Morgan.....	0	2	1	2	5
Murray.....	4	2	0	0	6
Muscogee.....	5	11	2	9	27
Newton.....	2	1	2	4	9
Oconee.....	2	0	0	1	3
Oglethorpe.....	3	1	0	2	6
Paulding.....	2	5	0	0	7
Peach.....	2	1	0	1	4
Pickens.....	0	1	0	0	1
Pierce.....	0	0	3	0	3
Pike.....	0	1	0	0	1
Polk.....	6	3	1	3	13
Pulaski.....	1	0	1	1	3
Putnam.....	2	1	2	6	11
Quitman.....	0	1	0	0	1
Rabun.....	1	0	0	0	1
Randolph.....	3	1	1	1	6

TABLE 9—Continued.

Admissions From Various Counties During the Year 1931.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Richmond.....	8	5	5	7	25
Rockdale.....	2	3	0	2	7
Schley.....	0	0	1	0	1
Screven.....	2	2	1	2	7
Seminole.....	3	1	0	1	5
Spalding.....	5	5	0	5	15
Stephens.....	4	1	0	0	5
Stewart.....	1	1	1	2	5
Sumter.....	0	1	1	1	3
Talbot.....	2	1	0	0	3
Taliaferro.....	2	0	1	0	3
Tattnall.....	2	4	0	1	7
Taylor.....	0	1	0	1	2
Telfair.....	1	1	3	3	8
Terrell.....	3	0	3	1	7
Thomas.....	4	3	4	3	14
Tift.....	3	3	1	0	7
Toombs.....	4	3	1	1	9
Towns.....	0	1	0	0	1
Treutlen.....	1	1	0	0	2
Troup.....	5	5	1	1	12
Turner.....	0	0	0	1	1
Twiggs.....	1	0	1	2	4
Union.....	2	0	0	0	2
Upson.....	1	3	3	2	9
Walker.....	6	1	0	0	7
Walton.....	2	3	0	1	6
Ware.....	2	1	0	2	5
Warren.....	2	0	0	1	3
Washington.....	5	1	1	3	10
Wayne.....	2	1	1	0	4
Webster.....	0	0	0	1	1
Wheeler.....	0	1	0	2	3
White.....	2	0	0	0	2
Whitfield.....	4	4	0	0	8
Wilcox.....	4	3	1	1	9
Wilkes.....	0	2	1	5	8
Wilkinson.....	5	2	0	0	7
Worth.....	4	0	0	3	7
Total.....	407	350	160	235	1152

TABLE 10

Nativity of all Patients Admitted During 1931.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Alabama.....	11	11	0	2	24
Arkansas.....	2	0	0	0	2
Connecticut.....	1	0	0	0	1
Denmark.....	0	1	0	0	1
England.....	1	0	0	0	1
Florida.....	4	0	3	1	8
Georgia.....	370	311	151	225	1057
Germany.....	1	0	0	0	1
Greece.....	0	1	0	0	1
Indiana.....	0	2	0	0	2
Illinois.....	1	1	0	0	2
Italy.....	1	1	0	0	2
Kentucky.....	1	1	0	0	2
Mississippi.....	0	1	0	0	1
North Carolina.....	2	5	1	0	8
Ohio.....	1	1	0	0	2
Oklahoma.....	1	0	0	0	1
Russia.....	0	1	0	0	1
South Carolina.....	4	8	4	3	19
Tennessee.....	3	1	1	0	5
Texas.....	0	1	0	0	1
Virginia.....	2	1	0	0	3
Unascertained.....	1	1	0	4	6
Wisconsin.....	0	1	0	0	1
Total.....	407	350	160	235	1152

TABLE 11

Classified Occupation of Patients Admitted During the Year 1931.

		WHITE		COLORED		Total
		M.	F.	M.	F.	
<i>Agriculture, Forestry and Animal Industry:</i>						
Dairyman.....	2	0	0	0	2	
Dairyman's wife.....	0	1	0	0	1	
Farmer.....	175	0	36	0	211	
Farmer's wife.....	0	63	0	37	100	
Farm laborer.....	9	1	19	28	57	
Farm laborer's wife.....	0	7	0	18	25	
Florist.....	1	0	0	0	1	
Gardener.....	0	0	1	0	1	
Lumber yard worker.....	0	0	1	0	1	
Saw mill operator's wife.....	0	2	0	0	2	
Turpentine worker.....	2	0	0	0	2	
Wood dealer.....	1	0	2	0	3	
<i>Professional:</i>						
Dentist's wife.....	0	1	0	0	1	
Editor.....	1	0	0	0	1	
Lawyer.....	2	0	0	0	2	
Lawyer's wife.....	0	1	0	0	1	
Minister.....	0	0	2	0	2	
Minister's wife.....	0	1	0	1	2	
Musician.....	1	0	0	0	1	
Physician.....	3	0	0	0	3	
Physician's wife.....	0	3	0	0	3	
Teacher.....	0	7	0	0	7	
Teacher's wife.....	0	1	0	0	1	
Nurse.....	0	2	0	0	2	
<i>Domestic and Personal Service:</i>						
Baker's wife.....	0	1	0	0	1	
Barber.....	2	0	0	0	2	
Butcher.....	2	0	0	0	2	
Butcher's wife.....	0	1	0	0	1	
Cook.....	0	0	0	12	12	
Clerk.....	16	2	0	0	18	
Clerk's wife.....	0	1	0	0	1	
Dry cleaner.....	1	0	0	0	1	
Dry cleaner's wife.....	0	0	0	1	1	
Housekeepers.....	0	53	0	11	64	
Ice man's wife.....	0	1	0	0	1	
Meter reader's wife.....	0	1	0	0	1	
Porter.....	0	0	3	0	3	
Servants.....	0	0	0	26	26	

TABLE 11—Continued.

Classified Occupation of Patients Admitted During the Year 1931.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Truck driver.....	3	0	1	0	4
Truck driver's wife.....	0	2	0	0	2
Waiter.....	0	0	1	0	1
Waitress.....	0	0	0	1	1
Washerwoman.....	0	0	0	17	17
Watchman.....	2	0	0	0	2
Watchman's wife.....	0	1	0	0	1
<i>Manufacturing and Mechanical Pursuits:</i>					
Blacksmith's wife.....	0	2	0	0	2
Boiler maker's wife.....	0	1	0	0	1
Brick Mason.....	1	0	0	0	1
Brick mason's wife.....	0	3	0	0	3
Carpenter.....	5	0	0	0	5
Carpenter's wife.....	0	10	0	1	11
Electrician.....	2	0	0	0	2
Electrician's wife.....	0	3	0	0	3
Laborer.....	13	0	64	4	81
Laborer's wife.....	0	0	0	5	5
Lineman.....	1	0	0	0	1
Machinist's wife.....	0	1	0	0	1
Mechanic.....	3	0	0	0	3
Mechanic's wife.....	0	2	0	0	2
Painter.....	6	0	1	0	7
Plumber's wife.....	0	1	0	0	1
Shoe maker's wife.....	0	1	0	0	1
Textile worker.....	12	3	0	0	15
Textile worker's wife.....	0	6	0	0	6
Welder.....	2	0	0	0	2
<i>Minerals:</i>					
Coal miner.....	1	0	0	0	1
Filling station operator.....	1	0	0	0	1
<i>Public Service:</i>					
Policeman.....	1	0	0	0	1
Postman.....	1	0	0	0	1
Postman's wife.....	0	2	0	0	2
Telephone operator.....	0	1	0	0	1
<i>Trades:</i>					
Auditor.....	4	0	0	0	4
Banker.....	2	0	0	0	2
Contractor.....	1	0	0	0	1
Contractor's wife.....	0	1	0	0	1
Bookkeeper.....	2	0	0	0	2

TABLE 11—Continued.

Classified Occupation of Patients Admitted During the Year 1931.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Merchants	10	0	0	0	10
Merchant's wife	0	8	0	0	8
Printer	2	0	0	0	2
Piano tuner	1	0	0	0	1
Salesman	9	0	0	0	9
Salesman's wife	0	1	0	0	1
Stenographer	0	5	0	0	5
Tailor	1	0	0	0	1
Watch maker	1	0	0	0	1
Printer's wife	0	2	0	0	2
<i>Transportation:</i>					
Car inspector's wife	0	2	0	0	2
Conductor	1	0	0	0	1
Engineer	1	0	0	0	1
Engineer's wife	0	1	0	0	1
Express agent	0	1	0	0	1
Express messenger's wife	0	1	0	0	1
Fireman	0	0	1	0	1
Fireman's wife	0	0	0	1	1
Marine engineer	1	0	0	0	1
Railroad call boy	1	0	0	0	1
Railroad switchman's wife	0	1	0	0	1
Railroad watchman's wife	0	1	0	0	1
Section foreman's wife	0	1	0	0	1
<i>Miscellaneous:</i>					
Delivery boy	1	0	0	0	1
Fisherman	0	0	1	0	1
Fisherman's wife	0	0	0	1	1
Life insurance agent's wife	0	1	0	0	1
Mattress maker	1	0	0	0	1
Naval store operator	1	0	0	0	1
Newsboy	0	0	1	0	1
None	87	126	24	59	296
Not given	3	0	0	11	14
Peddler	2	0	0	0	2
Real estate operator	1	0	0	0	1
Students	2	9	1	1	13
Upholsterer	0	0	1	0	1
Total	407	350	160	235	1152

TABLE 12

Ages of First Admissions During 1931.
Classified with Reference to Principal Psychoses.
White Male Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Ov- er 70	Not giv- en-	Total
Traumatic.....	0	0	1	2	1	1	0	0	5
Senile.....	0	0	0	0	0	3	10	0	13
With cerebeal arterio- sclerosis.....	0	0	1	1	10	15	5	0	32
General paralysis of the insane.....	1	4	6	9	6	1	0	0	27
With cerebral syphilis....	0	0	0	0	0	0	0	0	0
With Huntington's chorea	0	0	0	0	0	1	0	0	1
With brain tumor.....	0	0	0	1	0	0	0	0	1
With brain and nervous disease.....	0	0	3	1	2	0	0	0	6
Due to alcohol.....	0	2	2	2	0	0	0	0	6
Due to drugs.....	0	1	2	1	1	0	0	0	5
With pellagra.....	0	0	0	2	3	0	0	0	5
With other somatic disease	0	1	1	1	0	1	0	0	4
Manic depressive.....	6	12	10	18	11	3	0	0	60
Dementia praecox.....	3	26	15	12	3	1	0	0	60
Paranoia or paranoid con- dition.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	6	4	1	2	0	0	0	0	13
Psychoneurosis or neurosis	0	2	0	1	2	1	0	0	6
With psychopathic per- sonality.....	1	6	1	0	0	0	0	0	8
With mental deficiency...	4	7	4	0	2	0	0	0	17
Unclassified.....	4	7	14	9	5	1	1	0	41
Not insane.....	0	0	1	0	0	0	0	0	1
Psychopathic personality, not insane.....	0	3	1	0	0	0	0	0	4
Total.....	25	75	63	62	46	28	16	0	315

TABLE 12—Continued.

Ages of First Admissions During 1931.
Classified with Reference to Principal Psychoses.
White Female Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Ov- er 70	Not giv- en-	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	0	0	2	5	0	7
With cerebral arterio- sclerosis.....	0	0	0	0	2	5	4	0	11
General paralysis of the insane.....	1	0	0	3	0	0	0	0	4
With cerebral syphilis....	0	0	0	0	0	0	0	0	0
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	2	0	0	0	1	0	0	0	3
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	1	3	1	0	0	0	5
With pellagra.....	1	2	3	4	2	0	0	0	12
With other somatic disease	1	0	0	1	0	0	0	0	2
Manic depressive.....	1	15	23	24	9	4	0	0	76
Dementia praecox.....	9	15	13	19	5	0	0	0	61
Paranoia or paranoid con- dition.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	5	0	5	1	1	0	0	0	12
Psychoneurosis or neurosis	0	3	2	1	1	0	0	0	7
With psychopathic per- sonality.....	2	2	0	0	0	0	0	0	4
With mental deficiency....	2	3	3	5	2	1	0	0	16
Unclassified.....	1	4	10	2	3	0	0	0	20
Not insane.....	0	0	0	0	0	0	0	0	0
Psychopathic personality, not insane.....	0	1	0	0	0	0	0	0	1
Total.....	25	45	60	63	27	12	9	0	241

TABLE 12—Continued.

Ages of First Admissions During 1932.
Classified with Reference to Principal Psychoses.
Colored Male Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Ov- er 70	Not giv- en	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	0	0	2	0	0	2
With cerebral arterio- sclerosis.....	0	0	0	0	6	9	0	0	15
General paralysis of the insane.....	0	6	5	8	3	1	0	0	23
With cerebral syphilis....	0	0	0	2	0	0	0	0	2
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0	0
Due to alcohol.....	0	1	0	0	0	0	0	0	1
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	3	0	0	0	0	0	3
With other somatic disease	0	0	0	0	2	0	0	0	2
Manic depressive.....	9	13	6	6	3	0	0	0	37
Dementia praecox.....	5	8	3	2	0	1	0	0	19
Paranoia or paranoid con- dition.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	3	6	4	1	2	0	0	0	16
Psychoneurosis or neurosis	0	0	0	0	0	0	0	0	0
With psychopathic per- sonality.....	0	0	0	0	0	0	0	0	0
With mental deficiency...	9	4	1	1	1	0	0	0	16
Unclassified.....	4	1	4	2	1	0	0	0	12
Not insane.....	0	0	0	0	0	0	0	0	0
Mental deficiency, not insane.....	0	0	0	1	0	0	0	0	1
Psychopathic personality, not insane.....	0	0	1	0	0	0	0	0	1
Total.....	30	39	27	23	18	13	0	0	150

TABLE 12—Continued.

Ages of First Admissions During 1931.
 Classified with Reference to Principal Psychoses.
 Colored Female Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Over 70	Not giv- en-	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	1	1	1	0	0	3
With cerebral arterio- sclerosis.....	0	0	0	2	5	2	1	0	10
General paralysis of the insane.....	0	2	5	2	1	0	0	0	10
With cerebral syphilis....	1	1	0	0	0	0	0	0	2
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	1	3	8	2	0	0	0	0	14
With other somatic disease	0	1	0	0	0	0	0	0	1
Manic depressive.....	8	20	10	10	5	3	0	0	56
Dementia praecox.....	0	30	22	15	2	2	0	0	71
Paranoia or paranoid con- dition.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	4	4	0	0	0	0	0	0	8
Psychoneurosis or neurosis	0	1	0	0	0	0	0	0	1
With psychopathic per- sonality.....	0	0	0	0	0	0	0	0	0
With mental deficiency...	2	2	0	2	0	0	0	0	6
Unclassified.....	0	1	4	1	2	0	1	0	9
Not insane.....	0	0	0	0	0	0	0	0	0
Total.....	16	65	49	35	16	8	2	0	191

TABLE 13

Degree of Education of First Admissions During 1932.
Classified with Reference to Principal Psychoses.
White Male Population.

PSYCHOSES	None	Reads only	Reads and writes	Common school	High school	College	Not given	Total
Traumatic.....	0	0	2	3	0	0	0	5
Senile.....	3	1	3	4	2	0	0	13
With cerebral arteriosclerosis	5	1	6	17	2	1	0	32
General paralysis of the insane.....	1	0	6	17	3	0	0	27
With cerebral syphilis.....	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	0	1	0	0	0	0	1
With brain tumor.....	0	0	0	0	1	0	0	1
With brain and nervous disease.....	1	0	1	2	2	0	0	6
Due to alcohol.....	1	0	1	4	0	0	0	6
Due to drugs.....	1	0	1	1	2	0	0	5
With pellagra.....	2	0	2	1	0	0	0	5
With other somatic disease.....	0	0	1	3	0	0	0	4
Manic depressive.....	2	1	15	32	9	1	0	60
Dementia praecox.....	3	1	16	30	8	2	0	60
Paranoia or paranoid condition.....	0	0	0	0	0	0	0	0
With epilepsy.....	3	1	2	4	3	0	0	13
Psychoneurosis or neurosis.....	1	0	0	2	1	2	0	6
With psychopathic personality.....	0	0	0	7	1	0	0	8
With mental deficiency.....	8	0	5	4	0	0	0	17
Unclassified.....	5	0	7	22	7	0	0	41
Not insane.....	0	0	1	0	0	0	0	1
Psychopathic personality, not insane.....	0	0	2	1	1	0	0	4
Total.....	36	5	72	154	42	6	0	315

TABLE 13—Continued.

Degree of Education of First Admissions During 1931.
Classified with Reference to Principal Psychoses.
White Female Population.

PSYCHOSES	None	Reads only	Reads and writes	Common school	High school	College	Not given	Total
Traumatic.....	0	0	0	0	0	0	0	0
Senile.....	1	0	1	3	0	2	0	7
With cerebral arteriosclerosis	2	1	4	3	0	1	0	11
General paralysis of the insane.....	0	3	0	1	0	0	0	4
With cerebral syphilis.....	0	0	0	0	0	0	0	0
With Huntington's chorea	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	3	0	0	0	0	0	3
Due to alcohol.....	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	4	1	0	0	5
With pellagra.....	1	1	7	3	0	0	0	12
With other somatic disease.....	0	0	1	1	0	0	0	2
Manic depressive.....	3	1	19	39	8	6	0	76
Dementia praecox.....	3	0	12	33	10	3	0	61
Paranoia or paranoid condition.....	0	0	0	0	0	0	0	0
With epilepsy.....	4	0	2	6	0	0	0	12
Psychoneurosis or neurosis.....	0	0	2	3	2	0	0	7
With psychopathic personality.....	0	0	0	2	1	1	0	4
With mental deficiency.....	11	1	2	2	0	0	0	16
Unclassified.....	2	0	1	12	2	3	0	20
Not insane.....	0	0	0	0	0	0	0	0
Psychopathic personality, not insane.....	0	0	1	0	0	0	0	1
Total.....	27	10	52	112	24	16	0	241

TABLE 13—Continued.

Degree of Education of First Admissions During 1931.
Classified with Reference to Principal Psychoses.
Colored Male Population.

PSYCHOSES	None.	Reads only.	Reads and writes	Common school	High school	College	Not given	Total
Traumatic.....	0	0	0	0	0	0	0	0
Senile.....	1	0	1	0	0	0	0	2
With cerebral arteriosclerosis	9	1	5	0	0	0	0	15
General paralysis of the insane.....	11	2	9	1	0	0	0	23
With cerebral syphilis.....	1	1	0	0	0	0	0	2
With Huntington's chorea.....	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	1	0	0	0	0	1
Due to drugs.....	0	0	0	0	0	0	0	0
With pellagra.....	2	0	1	0	0	0	0	3
With other somatic disease.....	0	0	2	0	0	0	0	2
Manic depressive.....	12	2	21	2	0	0	0	37
Dementia praecox.....	7	1	8	1	0	1	1	19
Paranoia or paranoid condition.....	0	0	0	0	0	0	0	0
With epilepsy.....	9	0	6	1	0	0	0	16
Psychoneurosis or neurosis.....	0	0	0	0	0	0	0	0
With psychopathic personality.....	0	0	0	0	0	0	0	0
With mental deficiency.....	11	1	4	0	0	0	0	16
Unclassified.....	4	1	6	1	0	0	0	12
Not insane.....	0	0	0	0	0	0	0	0
Mental deficiency, not insane.....	1	0	0	0	0	0	0	1
Psychopathic personality, not insane.....	0	0	0	1	0	0	0	1
Total.....	68	9	64	7	0	1	1	150

TABLE 13—Continued.

Degree of Education of First Admissions During 1931.
Classified with Reference to Principal Psychoses.
Colored Female Population.

PSYCHOSES	None	Reads only	Reads and writes	Common school	High school	College	Not given	Total
Traumatic.....	0	0	0	0	0	0	0	0
Senile.....	3	0	0	0	0	0	0	3
With cerebral arteriosclerosis	6	0	2	1	0	0	1	10
General paralysis of the insane.....	2	0	4	4	0	0	0	10
With cerebral syphilis.....	1	0	1	0	0	0	0	2
With Huntington's chorea.....	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0
With pellagra.....	5	0	6	3	0	0	0	14
With other somatic disease.....	1	0	0	0	0	0	0	1
Manic depressive.....	15	3	33	4	0	0	1	56
Dementia praecox.....	14	3	35	12	3	1	3	71
Paranoia or paranoid condition.....	0	0	0	0	0	0	0	0
With epilepsy.....	5	0	3	0	0	0	0	8
Psychoneurosis or neurosis.....	0	0	0	1	0	0	0	1
With psychopathic personality.....	0	0	0	0	0	0	0	0
With mental deficiency.....	5	0	1	0	0	0	0	6
Unclassified.....	6	0	3	0	0	0	0	9
Not insane.....	0	0	0	0	0	0	0	0
Total.....	63	6	88	25	3	1	5	191

TABLE 14

Environment of First Admissions During 1931.
Classified with Reference to Principal Psychoses.
White Population.

PSYCHOSES	MALE				FEMALE			
	Urban	Rural	Not given	Total	Urban	Rural	Not given	Total
Traumatic.....	3	2	0	5	0	0	0	0
Senile.....	2	11	0	13	4	3	0	7
With cerebral arteriosclerosis.....	6	26	0	32	5	6	0	11
General paralysis of the insane.....	20	7	0	27	2	2	0	4
With cerebral syphilis.....	0	0	0	0	0	0	0	0
With Huntington's chorea.....	1	0	0	1	0	0	0	0
With brain tumor.....	0	1	0	1	0	0	0	0
With brain and nervous disease.....	3	3	0	6	2	1	0	3
Due to alcohol.....	2	4	0	6	0	0	0	0
Due to drugs.....	3	2	0	5	5	0	0	5
With pellagra.....	2	3	0	5	5	7	0	12
With other somatic disease.....	0	4	0	4	0	2	0	2
Manic depressive.....	23	37	0	60	38	38	0	76
Dementia praecox.....	25	35	0	60	35	26	0	61
Paranoia or paranoid condition.....	0	0	0	0	0	0	0	0
With epilepsy.....	6	7	0	13	7	5	0	12
Psychoneurosis or neurosis.....	4	2	0	6	6	1	0	7
With psychopathic personality.....	3	5	0	8	4	0	0	4
With mental deficiency.....	5	12	0	17	7	9	0	16
Unclassified.....	16	25	0	41	10	10	0	20
Not insane.....	0	1	0	1	0	0	0	0
Psychopathic personality, not insane.....	1	3	0	4	1	0	0	1
Total.....	125	190	0	315	131	110	0	241

TABLE 14—Continued.

Environment of First Admissions During 1931.
Classified with Reference to Principal Psychoses.
Colored Population.

PSYCHOSES	MALE				FEMALE			
	Urban	Rural	Not given	Total	Urban	Rural	Not given	Total
Traumatic.....	0	0	0	0	0	0	0	0
Senile.....	2	0	0	2	1	2	0	3
With cerebral arteriosclerosis.....	4	11	0	15	4	6	0	10
General paralysis of the insane.....	16	7	0	23	4	6	0	10
With cerebral syphilis.....	0	2	0	2	1	1	0	2
With Huntington's chorea.....	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0
Due to alcohol.....	0	1	0	1	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0
With pellagra.....	1	2	0	3	5	9	0	14
With other somatic disease.....	1	1	0	2	0	1	0	1
Manic depressive.....	14	23	0	37	25	31	0	56
Dementia praecox.....	9	10	0	19	17	53	1	71
Paranoia or paranoid condition.....	0	0	0	0	0	0	0	0
With epilepsy.....	3	13	0	16	2	6	0	8
Psychoneurosis or neurosis.....	0	0	0	0	1	0	0	1
With psychopathic personality.....	0	0	0	0	0	0	0	0
With mental deficiency.....	7	9	0	16	2	4	0	6
Unclassified.....	6	6	0	12	4	5	0	9
Not insane.....	0	0	0	0	0	0	0	0
Mental deficiency, not insane.....	1	0	0	1	0	0	0	0
Psychopathic personality, not insane.....	0	1	0	1	0	0	0	0
Total.....	64	86	0	150	66	124	1	191

TABLE 15

Economic Condition of First Admissions During 1931. Classified with Reference to Principal Psychoses. White Population.	MALE					FEMALE				
PSYCHOSES	Comfortable	Marginal	Dependent	Not given	Total	Comfortable	Marginal	Dependent	Not Given	Total
Traumatic.....	0	2	3	0	5	0	0	0	0	0
Senile.....	0	0	13	0	13	0	0	7	0	7
With cerebral arteriosclerosis.....	1	8	23	0	32	0	1	10	0	11
General paralysis of the insane.....	2	8	17	0	27	0	0	4	0	4
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	0	1	0	1	0	0	0	0	0
With brain tumor.....	0	0	1	0	1	0	0	0	0	0
With brain and nervous disease.....	0	0	6	0	6	0	0	3	0	3
Due to alcohol.....	0	2	4	0	6	0	0	0	0	0
Due to drugs.....	0	1	4	0	5	0	1	4	0	5
With pellagra.....	0	1	4	0	5	0	0	12	0	12
With other somatic disease.....	0	1	3	0	4	0	0	2	0	2
Manic depressive.....	0	22	38	0	60	4	8	64	0	76
Dementia praecox.....	1	12	47	0	60	2	4	55	0	61
Paranoia or paranoid condition.....	0	0	0	0	0	0	0	0	0	0
With epilepsy.....	0	2	11	0	13	0	0	12	0	12
Psychoneurosis or neurosis.....	0	0	6	0	6	1	0	6	0	7
With psychopathic personality.....	0	1	7	0	8	0	1	3	0	4
With mental deficiency.....	0	0	17	0	17	0	1	15	0	16
Unclassified.....	2	11	28	0	41	0	4	16	0	20
Not insane.....	0	0	1	0	1	0	0	0	0	0
Psychopathic personality, not insane.....	0	2	2	0	4	0	0	1	0	1
Total.....	6	73	236	0	315	7	20	214	0	241

TABLE 15—Continued.

Economic Condition of First Admissions During 1931. Classified with Reference to Principal Psychoses. Colored Population.	MALE					FEMALE				
	Comfortable	Marginal	Dependent	Not given	Total	Comfortable	Marginal	Dependent	Not Given	Total
PSYCHOSES										
Traumatic.....	0	0	0	0	0	0	0	0	0	0
Senile.....	0	0	2	0	2	0	0	3	0	3
With cerebral arteriosclerosis.....	0	2	13	0	15	0	0	10	0	10
General paralysis of the insane.....	1	2	20	0	23	0	0	10	0	10
With cerebral syphilis.....	0	0	2	0	2	0	0	2	0	2
With Huntington's chorea.....	0	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	1	0	1	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0	0
With pellagra.....	0	2	1	0	3	0	1	13	0	14
With other somatic disease.....	0	1	1	0	2	0	0	1	0	1
Manic depressive.....	0	8	29	0	37	0	6	50	0	56
Dementia praecox.....	0	2	17	0	19	0	11	60	0	71
Paranoia or paranoid condition.....	0	0	0	0	0	0	0	0	0	0
With epilepsy.....	0	0	16	0	16	0	0	8	0	8
Psychoneurosis or neurosis.....	0	0	0	0	0	0	0	1	0	1
With psychopathic personality.....	0	0	0	0	0	0	0	0	0	0
With mental deficiency.....	0	0	16	0	16	0	1	5	0	6
Unclassified.....	0	2	10	0	12	0	1	8	0	9
Not insane.....	0	0	0	0	0	0	0	0	0	0
Mental deficiency, not insane.....	0	0	1	0	1	0	0	0	0	0
Psychopathic personality, not insane.....	0	0	1	0	1	0	0	0	0	0
Total.....	1	19	130	0	150	0	20	171	0	191

TABLE 16

Civil Condition of First Admissions During 1931. Classified with Reference to Principal Psychoses. White Population.	MALE							FEMALE						
PSYCHOSES	Single	Married	Widowed	Divorced	Separated	Not given	Total	Single	Married	Widowed	Divorced	Separated	Not given	Total
Traumatic.....	0	5	0	0	0	0	5	0	0	0	0	0	0	0
Senile.....	3	7	3	0	0	0	13	1	1	5	0	0	0	7
With cerebral arteriosclerosis.....	3	16	7	2	4	0	32	1	2	7	0	1	0	11
General paralysis of the insane.....	4	15	1	4	3	0	27	0	3	0	1	0	0	4
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	1	0	0	0	0	1	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	1	0	0	1	0	0	0	0	0	0	0
With brain and nervous disease.....	2	3	0	1	0	0	6	2	0	1	0	0	0	3
Due to alcohol.....	2	4	0	0	0	0	6	0	0	0	0	0	0	0
Due to drugs.....	0	4	0	1	0	0	5	0	3	2	0	0	0	5
With pellagra.....	1	4	0	0	0	0	5	2	8	1	0	1	0	12
With other somatic disease.....	1	2	1	0	0	0	4	0	1	0	0	1	0	2
Manic depressive.....	21	36	2	0	1	0	60	10	45	13	5	3	0	76
Dementia praecox.....	43	11	0	4	2	0	60	26	26	2	2	5	0	61
Paranoid.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With epilepsy.....	12	1	0	0	0	0	13	8	3	1	0	0	0	12
Psychoneurosis.....	3	2	0	0	1	0	6	2	3	1	0	1	0	7
With psychopathic personality.....	6	1	0	1	0	0	8	4	0	0	0	0	0	4
With mental deficiency.....	15	2	0	0	0	0	17	13	1	1	0	1	0	16
Unclassified.....	12	23	1	2	3	0	41	2	15	1	0	2	0	20
Not insane.....	1	0	0	0	0	0	1	0	0	0	0	0	0	0
Psychopathic personality, not insane.....	3	1	0	0	0	0	4	0	0	0	0	1	0	1
Total.....	132	138	15	16	14	0	315	71	111	35	8	16	0	241

TABLE 16—Continued.

Civil Condition of First Admissions During 1931. Classified with Reference to Principal Psychoses. Colored Population.	MALE							FEMALE						
PSYCHOSES	Single	Married	Widowed	Divorced	Separated	Not given	Total	Single	Married	Widowed	Divorced	Separated	Not given	Total
Traumatic.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Senile.....	1	1	0	0	0	0	2	0	1	2	0	0	0	3
With cerebral arteriosclerosis.....	3	7	4	0	1	0	15	2	4	2	0	2	0	10
General paralysis of the insane.....	8	10	2	0	3	0	23	1	4	2	0	3	0	10
With cerebral syphilis.....	1	1	0	0	0	0	2	1	0	0	0	1	0	2
With Huntington's chorea.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	0	0	1	0	1	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With pellagra.....	0	2	0	0	1	0	3	3	5	4	0	2	0	14
With somatic disease.....	0	2	0	0	0	0	2	0	1	0	0	0	0	1
Manic depressive.....	21	9	3	0	3	1	37	15	23	9	0	9	0	56
Dementia praecox.....	12	4	0	0	3	0	19	10	31	9	1	18	2	71
Paranoid.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With epilepsy.....	10	3	1	0	2	0	16	7	0	0	1	0	0	8
Psychoneurosis.....	0	0	0	0	0	0	0	0	0	1	0	0	0	1
With psychopathic personality.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With mental deficiency.....	15	1	0	0	0	0	16	4	0	1	0	1	0	6
Unclassified.....	5	5	2	0	0	0	12	4	1	4	0	0	0	9
Mental deficiency, not insane.....	1	0	0	0	0	0	1	0	0	0	0	0	0	0
Psychopathic personality, not insane.....	0	0	0	0	1	0	1	0	0	0	0	0	0	0
Total.....	77	45	12	0	15	1	150	47	70	34	2	36	2	191

TABLE 17

Ages of Patients at Time of Death During the Year 1931.
Classified with Reference to Principal Psychoses.
White Male Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Ov- er 70	Not giv- en	Total
Traumatic.....	0	0	0	0	1	1	0	0	2
Senile.....	0	0	0	0	0	1	7	0	8
With cerebral arterio- sclerosis.....	0	0	0	0	3	8	10	0	21
General paralysis of the insane.....	0	0	2	5	7	2	0	0	16
With cerebral syphilis....	0	0	0	0	0	0	0	0	0
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	1	0	0	0	0	1
With brain and nervous disease.....	1	0	1	1	2	1	0	1	7
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	1	1	0	0	0	2
With somatic disease....	0	0	1	0	0	1	0	0	2
Manic depressive.....	0	0	1	3	3	2	4	0	13
Dementia praecox.....	0	2	1	4	3	1	4	1	16
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	1	4	3	2	0	2	0	0	12
Psychoneurosis.....	0	0	0	0	0	1	0	0	1
With psychopathic per- sonality.....	0	0	0	0	1	0	0	0	1
With mental deficiency...	0	6	2	1	0	0	0	0	9
Unclassified.....	0	1	0	2	2	3	3	0	11
Total.....	2	13	11	20	23	23	28	2	122

TABLE 17—Continued.

Ages of Patients at Time of Death During the Year 1931.
 Classified with Reference to Principal Psychoses.
 White Female Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Ov- er 70	Not giv- en	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	0	0	0	10	0	10
With cerebral arterio- sclerosis.....	0	0	0	0	0	4	3	0	7
General paralysis of the insane.....	0	0	1	2	0	0	0	0	3
With cerebral syphilis....	0	0	0	0	0	0	0	0	0
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	2	0	0	0	2
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	1	1	0	0	0	2
With somatic disease....	0	0	0	1	0	0	0	0	1
Manic depressive.....	0	0	1	2	1	4	3	0	11
Dementia praecox.....	0	2	2	6	4	4	1	1	20
Paranoid.....	0	0	0	0	1	0	0	0	1
With epilepsy.....	1	3	2	1	0	1	0	0	8
Psychoneurosis.....	0	0	0	1	1	0	0	0	2
With psychopathic per- sonality.....	0	0	0	0	0	0	0	0	0
With mental deficiency...	1	0	1	0	1	0	0	0	3
Unclassified.....	0	1	2	1	0	4	2	0	10
Total.....	2	6	9	15	11	17	19	1	80

TABLE 17—Continued.

Ages of Patients at Time of Death During the Year 1931.
Classified with Reference to Principal Psychoses.
Colored Male Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Over 70	Not giv- en	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	0	0	1	1	0	2
With cerebral arterio- sclerosis.....	0	0	0	0	10	5	4	0	19
General paralysis of the insane.....	0	2	2	6	3	1	1	0	15
With cerebral syphilis....	0	0	0	0	0	2	0	0	2
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	1	1	0	0	0	0	0	2
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	0	0	0	0	0	0
With somatic disease....	0	0	0	0	0	0	0	0	0
Manic depressive.....	0	2	2	1	1	3	0	0	9
Dementia praecox.....	1	2	4	1	1	1	0	0	10
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	3	2	2	0	2	1	0	0	10
Psychoneurosis.....	0	0	0	0	0	0	0	0	0
With psychopathic per- sonality.....	0	0	0	0	0	0	0	0	0
With mental deficiency...	1	2	1	0	0	0	0	0	4
Unclassified.....	1	0	3	1	2	0	0	1	8
Total.....	6	11	15	9	19	14	6	1	81

TABLE 17—Continued.

Ages of Patients at Time of Death During the Year 1931.
Classified with Reference to Principal Psychoses.
Colored Female Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Over 70	Not giv- en	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	0	0	1	1	0	2
With cerebral arterio- sclerosis.....	0	0	0	1	1	1	0	0	3
General paralysis of the insane.....	0	1	1	2	1	0	0	0	5
With cerebral syphilis....	1	0	0	0	0	0	0	0	1
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	1	0	0	0	0	0	1
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	2	2	0	0	0	0	0	4
With somatic disease....	0	1	1	1	0	0	0	0	3
Manic depressive.....	1	6	3	1	2	0	0	0	13
Dementia praecox.....	0	2	5	4	3	1	1	0	16
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	2	2	0	0	1	0	0	0	5
Psychoneurosis.....	0	0	0	0	0	0	0	0	0
With psychopathic per- sonality.....	0	0	0	0	0	0	0	0	0
With mental deficiency...	0	2	0	1	0	0	0	0	3
Unclassified.....	0	1	3	1	1	0	1	0	7
Total.....	4	17	16	11	9	3	3	0	63

TABLE 18

Duration of Hospital Residence of Patients Dying in the Hospital During
the Year 1931.
White Male Population.

PSYCHOSES	Under 1 month	1 to 6 months	6 to 12 months	1 to 2 years	2 to 5 years	5 to 10 years	10 to 20 years	Over 20 years	Total
Traumatic.....	0	1	1	0	0	0	0	0	2
Senile.....	5	2	0	1	0	0	0	0	8
With cerebral arteriosclerosis	4	4	3	4	6	0	0	0	21
General paralysis of the insane.....	0	3	4	3	4	1	1	0	16
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	1	0	0	0	0	0	1
With brain and nervous disease.....	0	1	0	1	1	1	2	1	7
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	2	0	0	0	0	0	0	0	2
With somatic disease.....	2	0	0	0	0	0	0	0	2
Manic depressive.....	0	1	1	1	3	3	3	1	13
Dementia praecox.....	0	0	1	0	1	3	6	5	16
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	1	0	1	3	2	2	1	2	12
Psychoneurosis.....	0	0	0	0	0	0	1	0	1
With psychopathic personality.....	0	0	0	0	0	0	1	0	1
With mental deficiency.....	0	0	0	1	1	1	5	1	9
Unclassified.....	3	1	1	2	0	1	0	3	11
Total.....	17	13	13	16	18	12	20	13	122

TABLE 18—Continued.

Duration of Hospital Residence of Patients Dying in the Hospital During
the Year 1931.

White Female Population.

PSYCHOSES	Under 1 month	1 to 6 months	6 to 12 months	1 to 2 years	2 to 5 years	5 to 10 years	10 to 20 years	Over 20 years	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	2	0	2	3	2	1	0	10
With cerebral arteriosclerosis	1	0	1	0	3	2	0	0	7
General paralysis of the insane.....	0	1	0	0	2	0	0	0	3
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	1	0	0	0	1	0	0	2
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	2	0	0	0	0	0	0	0	2
With somatic disease.....	0	1	0	0	0	0	0	0	1
Manic depressive.....	1	4	0	0	1	1	2	2	11
Dementia praecox.....	2	1	1	1	2	4	1	8	20
Paranoid.....	0	0	0	0	0	1	0	0	1
With epilepsy.....	1	1	1	0	1	0	2	2	8
Psychoneurosis.....	1	0	0	0	0	0	1	0	2
With psychopathic personality.....	0	0	0	0	0	0	0	0	0
With mental deficiency.....	0	0	0	0	0	3	0	0	3
Unclassified.....	3	1	0	1	0	1	1	3	10
Total.....	11	12	3	4	12	15	8	15	80

TABLE 18—Continued.

Duration of Hospital Residence of Patients Dying in the Hospital During
the Year 1931.

Colored Male Population.

PSYCHOSES	Under 1 month	1 to 6 months	6 to 12 months	1 to 2 years	2 to 5 years	5 to 10 years	10 to 20 years	Over 20 years	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	1	0	0	0	0	1	0	2
With cerebral arteriosclerosis	2	3	3	2	6	1	2	0	19
General paralysis of the insane.....	2	4	2	3	2	2	0	0	15
With cerebral syphilis.....	0	0	1	0	0	1	0	0	2
With Huntington's chorea.....	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	1	0	1	0	2
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	0	0	0	0	0	0
With somatic disease.....	0	0	0	0	0	0	0	0	0
Manic depressive.....	0	1	3	2	0	1	1	1	9
Dementia praecox.....	0	1	2	1	1	2	2	1	10
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	0	1	2	4	1	2	0	0	10
Psychoneurosis.....	0	0	0	0	0	0	0	0	0
With psychopathic personality.....	0	0	0	0	0	0	0	0	0
With mental deficiency.....	1	0	0	0	2	1	0	0	4
Unclassified.....	3	0	0	1	0	2	1	1	8
Total.....	8	11	13	13	13	12	8	3	81

TABLE 18—Continued.

Duration of Hospital Residence of Patients Dying in the Hospital During
the Year 1931.

Colored Female Population.

PSYCHOSES	Under 1 month	1 to 6 months	6 to 12 months	1 to 2 years	2 to 5 years	5 to 10 years	10 to 20 years	Over 20 years	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	0	1	0	1	0	2
With cerebral arteriosclerosis.....	0	2	0	0	0	1	0	0	3
General paralysis of the insane.....	1	4	0	0	0	0	0	0	5
With cerebral syphilis.....	0	1	0	0	0	0	0	0	1
With Huntington's chorea.....	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	1	0	0	0	0	0	1
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	2	2	0	0	0	0	0	0	4
With somatic disease.....	1	0	1	0	1	0	0	0	3
Manic depressive.....	0	2	2	4	5	0	0	0	13
Dementia praecox.....	0	0	1	1	4	7	0	3	16
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	0	1	0	2	1	0	1	0	5
Psychoneurosis.....	0	0	0	0	0	0	0	0	0
With psychopathic personality.....	0	0	0	0	0	0	0	0	0
With mental deficiency.....	0	0	0	1	1	1	0	0	3
Unclassified.....	2	2	0	1	1	1	0	0	7
Total.....	6	14	5	9	14	10	2	3	63

TABLE 1

Diagnostic Grouping of all Patients in the Hospital December 31st, 1932.

PSYCHOSES	WHITE		COLORED		Total	%
	M.	F.	M.	F.		
Traumatic.....	8	0	0	0	8	.14
Senile.....	14	26	8	26	74	1.30
With cerebral arteriosclerosis	84	33	49	34	200	3.51
General paralysis of the insane.....	87	17	41	25	170	2.98
With cerebral syphilis.....	4	0	5	5	14	.24
With Huntington's chorea.....	4	4	0	1	9	.15
With brain tumor.....	1	0	0	0	1	.01
With brain and nervous disease.....	33	22	12	5	72	1.26
Due to alcohol.....	6	0	4	0	10	.17
Due to drugs.....	6	5	0	1	12	.21
With pellagra.....	12	9	2	21	44	.77
With other somatic disease.....	8	16	6	4	34	.59
Manic depressive.....	207	495	172	307	1181	20.76
Dementia praecox.....	678	785	289	534	2286	40.18
Paranoid.....	7	21	0	5	33	.58
With epilepsy.....	128	143	89	51	411	7.22
Psychoneurosis or neurosis.....	10	28	0	0	38	.66
With psychopathic personality.....	22	46	3	4	75	1.31
With mental deficiency.....	254	254	153	74	735	12.92
Unclassified.....	62	147	35	19	263	4.63
Not insane.....	0	0	1	0	1	.01
Drug addict, not insane.....	1	1	0	0	2	.03
Alcoholism, not insane.....	1	0	0	0	1	.01
Epilepsy, not insane.....	1	3	0	0	4	.07
Mental deficiency, not insane.....	2	5	0	1	8	.14
Psychopathic personality, not insane....	1	1	0	0	2	.03
Total.....	1641	2061	869	1117	5688	

TABLE 2

Diagnostic Grouping of Patients Admitted During the Year 1932.

PSYCHOSES	WHITE		COLORED		Total	%
	M.	F.	M.	F.		
Traumatic.....	3	0	0	0	3	.34
Senile.....	7	5	6	4	22	2.54
With cerebral arteriosclerosis	25	15	14	5	59	6.82
General paralysis of the insane.....	29	3	30	7	69	7.98
With cerebral syphilis.....	0	0	0	1	1	.11
With Huntington's chorea	1	1	0	0	2	.23
With brain tumor.....	0	0	0	0	0	
With brain and nervous disease.....	8	2	0	1	11	1.27
Due to alcohol.....	8	0	1	0	9	1.04
Due to drugs.....	3	4	0	1	8	.90
With pellagra.....	6	2	0	5	13	1.50
With other somatic disease.....	2	1	5	1	9	1.04
Manic depressive.....	75	119	41	65	300	34.72
Dementia praecox.....	59	64	18	36	177	20.48
Paranoid.....	0	0	0	0	0	
With epilepsy.....	15	7	7	9	38	4.39
Psychoneurosis or neurosis.....	6	8	0	0	14	1.62
With psychopathic personality.....	4	7	0	0	11	1.27
With mental deficiency.....	15	11	15	12	53	6.13
Unclassified.....	20	7	16	11	54	6.25
Not insane.....	1	0	1	0	2	.23
Alcoholism, not insane.....	3	0	0	0	3	.34
Drug addict, not insane.....	2	1	0	0	3	.34
Mental deficiency, not insane.....	0	0	1	0	1	.11
Psychopathic personality, not insane....	2	0	0	0	2	.23
Total.....	294	257	155	158	864	

TABLE 3

Diagnostic Grouping of First Admissions During the Year 1932.

PSYCHOSES	WHITE		COLORED		Total
	M.	F.	M.	F.	
Traumatic.....	3	0	0	0	3
Senile.....	7	5	6	4	22
With cerebral arteriosclerosis.....	25	15	14	5	59
General paralysis of the insane.....	22	3	29	7	61
With cerebral syphilis.....	0	0	0	1	1
With Huntington's chorea.....	1	1	0	0	2
With brain tumor.....	0	0	0	0	0
With brain and nervous disease.....	8	1	0	1	10
Due to alcohol.....	7	0	0	0	7
Due to drugs.....	2	3	0	1	6
With pellagra.....	5	2	0	3	10
With other somatic disease.....	2	1	5	1	9
Manic depressive.....	51	73	32	51	207
Dementia praecox.....	37	46	16	31	130
Paranoid.....	0	0	0	0	0
With epilepsy.....	14	7	7	9	37
Psychoneurosis or neurosis.....	3	8	0	0	11
With psychopathic personality.....	2	5	0	0	7
With mental deficiency.....	11	8	10	11	40
Unclassified.....	14	4	13	10	41
Not insane.....	0	0	0	0	0
Alcoholism, not insane.....	2	0	0	0	2
Mental deficiency, not insane.....	0	0	1	0	1
Psychopathic personality, not insane.....	1	0	0	0	1
Total.....	217	182	133	135	667

TABLE 4

Diagnostic Grouping of Re-Admissions During the Year 1932.

PSYCHOSES	WHITE		COLORED		Total
	M.	F.	M.	F.	
Traumatic.....	0	0	0	0	0
Senile.....	0	0	0	0	0
With cerebral arteriosclerosis	0	0	0	0	0
General paralysis of the insane.....	7	0	1	0	8
With cerebral syphilis.....	0	0	0	0	0
With Huntington's chorea.....	0	0	0	0	0
With brain tumor.....	0	0	0	0	0
With brain and nervous disease.....	0	1	0	0	1
Due to alcohol.....	1	0	1	0	2
Due to drugs.....	1	1	0	0	2
With pellagra.....	1	0	0	2	3
With other somatic disease.....	0	0	0	0	0
Manic depressive.....	24	46	9	14	93
Dementia praecox.....	22	18	2	5	47
Paranoid.....	0	0	0	0	0
With epilepsy.....	1	0	0	0	1
Psychoneurosis or neurosis.....	3	0	0	0	3
With psychopathic personality.....	2	2	0	0	4
With mental deficiency.....	4	3	5	1	13
Unclassified.....	6	3	3	1	13
Not insane.....	1	0	1	0	2
Alcoholism, not insane.....	1	0	0	0	1
Drug addict, not insane.....	2	1	0	0	3
Psychopathic personality, not insane.....	1	0	0	0	1
Total.....	77	75	22	23	197

TABLE 5
FURLOUNDS 1932

FURLUGHS 1932

PSYCHOSES	WHITE								COLORED								Total	
	MALE				FEMALE				MALE				FEMALE					
	R.	I.	U.	S.	R.	I.	U.	S.	R.	I.	U.	S.	R.	I.	U.	S.		
Traumatic.....	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Senile.....	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Cerebral arteriosclerosis	1	5	0	0	0	3	1	0	2	1	0	0	0	0	1	0	0	14
General paralysis of the insane.....	0	15	6	0	0	0	0	0	0	2	1	0	0	0	0	0	0	24
With Huntington's chorea.....	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
With brain and nervous disease.....	0	4	1	0	0	2	3	0	0	1	0	0	0	0	0	0	0	11
Due to alcohol.....	11	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14
Due to drugs.....	10	2	1	0	1	2	0	0	0	0	0	0	0	0	0	0	0	16
With pellagra.....	5	3	0	0	2	3	0	0	1	0	0	0	5	1	0	0	0	20
With somatic disease.....	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
Manic depressive.....	47	47	11	0	33	84	18	0	17	20	2	0	26	25	3	0	0	333
Dementia praecox.....	1	41	17	0	2	29	21	0	1	1	10	0	7	18	11	0	0	159
Paranoid.....	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
With epilepsy.....	0	8	4	0	0	2	4	0	0	0	3	0	0	0	2	0	0	23
Psychoneurosis.....	1	4	2	0	2	8	4	0	0	0	0	0	1	0	0	0	0	22
With psychopathic personality.....	3	3	2	0	5	2	2	0	0	0	0	0	0	1	0	0	0	18
With mental deficiency.....	1	15	5	0	2	4	4	0	2	2	1	0	0	3	0	0	0	39
Unclassified.....	11	10	8	0	3	11	4	0	3	4	0	0	0	0	1	0	0	55
Not insane (provisional).....	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3
Alcoholism, not insane.....	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Psychopathic personality, not insane.....	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Total.....	91	162	57	5	50	150	64	0	26	31	17	0	39	49	17	0	0	758
	315				264				74				105					

TABLE 6
DISCHARGES 1932

PSYCHOSES	WHITE								COLORED								Total	
	MALE				FEMALE				MALE				FEMALE					
	R.	I.	U.	S.	R.	I.	U.	S.	R.	I.	U.	S.	R.	I.	U.	S.		
Traumatic.....	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
Senile.....	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Arterio-sclerosis.....	1	10	2	0	0	2	2	0	0	1	0	0	0	0	4	0	0	22
General paralysis of the insane.....	1	3	0	0	0	1	0	0	0	0	1	0	0	2	0	0	8	
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	
With brain and nervous disease.....	0	2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	4	
Due to alcohol.....	6	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	10	
Due to drugs.....	1	0	0	0	4	2	0	0	0	0	0	0	0	0	0	0	7	
With pellagra.....	2	3	0	0	1	5	0	0	0	1	0	0	3	1	0	0	16	
With other somatic disease.....	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	2	
Manic depressive.....	34	44	2	0	26	59	5	0	13	19	2	0	20	21	1	0	246	
Dementia praecox.....	1	28	4	0	4	18	7	0	1	2	4	0	4	15	5	0	93	
Paranoid.....	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	
With epilepsy.....	0	2	2	0	0	1	3	0	1	2	3	0	0	0	0	0	14	
Psychoneurosis or neurosis.....	3	1	1	0	2	2	0	0	0	0	0	0	0	0	0	0	9	
With psychopathic personality.....	4	2	0	0	1	1	0	0	0	0	0	0	0	0	0	0	8	
With mental deficiency.....	4	6	0	0	0	3	0	0	0	5	2	0	0	0	0	0	20	
Unclassified.....	11	12	3	0	4	8	1	0	2	4	0	0	3	9	2	0	59	
Alcoholism, not insane.....	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	
Drug addict, not insane.....	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	
Psychopathic personality, not insane.....	0	0	0	3	0	0	0	0	0	0	2	0	0	0	0	0	5	
Total.....	72	117	15	5	43	102	19	0	18	35	12	2	30	53	9	0	532	

TABLE 7
Deaths, 1932.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Accidental drowning.....	1	0	0	0	1
Arteriosclerosis	16	9	10	1	36
Carbuncle.....	0	1	0	0	1
Carcinoma.....	0	7	1	1	9
Cellulitis.....	3	0	0	0	3
Cerebral hemorrhage.....	7	3	0	3	13
Colitis.....	0	1	0	0	1
Diabetes.....	0	0	1	1	2
Dysentery.....	0	0	0	1	1
Encephalitis.....	0	0	0	1	1
Enteritis.....	3	2	0	0	5
Epilepsy.....	7	7	8	5	27
Erysipelas.....	2	1	0	0	3
Exhaustion from acute mental disease.....	1	2	2	0	5
Foreign bodies in trachea.....	1	0	0	0	1
Gastric ulcer.....	0	0	0	1	1
General paralysis of the insane.....	10	0	26	6	42
Heat stroke.....	0	0	1	0	1
Homicide by other patient.....	0	0	2	0	2
Huntington's chorea.....	1	0	0	0	1
Influenza.....	1	0	0	0	1
Intestinal obstruction.....	1	1	0	0	2
Myocarditis, chronic.....	4	6	1	8	19
Nephritis, acute.....	0	1	0	0	1
Nephritis, chronic.....	2	0	2	2	6
Organic brain disease.....	0	1	0	0	1
Pellagra.....	1	0	1	1	3
Pneumonia, broncho.....	6	3	1	2	12
Pneumonia, lobar.....	3	4	1	0	8
Pulmonary tuberculosis.....	5	7	8	19	39
Sarcoma.....	0	0	1	0	1
Senility.....	0	0	2	7	9
Septicemia.....	0	0	1	1	2
Strangulation (suicide).....	1	0	0	0	1
Suicide by poison.....	0	1	0	0	1
Sunstroke.....	0	0	1	0	1
Syphilis.....	0	0	0	4	4
Tubercular empyema.....	1	0	0	0	1
Typhoid fever.....	1	1	1	0	3
Unknown.....	3	1	2	10	16
Valvular heart disease.....	2	6	0	0	8
Total.....	83	65	73	74	295

TABLE 8
Surgery, 1932.

Abscess, incised.....	3
Adenoma, removal of.....	1
Amputation of finger.....	1
Appendectomy.....	9
Bone felon, incised.....	1
Carbuncle, incised and curettage.....	2
Cataract, extraction of.....	2
Cervical polypus, removal of.....	1
Condylomata, removal of by cautery.....	1
Decompression parietal region.....	1
Fracture, colles, treatment for.....	4
Fracture, femur, treatment for.....	3
Fracture, finger, treatment for.....	1
Fracture, hip, treatment for.....	1
Fracture, humerus, treatment for.....	2
Fracture, jaw, treatment for.....	1
Fracture, metatarsal bone, treatment for.....	3
Fracture, radius, treatment for.....	2
Fracture, supracondylar, treatment for.....	1
Fracture, tibia and fibula, treatment for.....	1
Hemorrhoidectomy.....	5
Herniotomy.....	5
Hysterectomy.....	2
Iridectomy.....	1
Infected hand, incised.....	1
Laparotomy, exploratory.....	2
Maxillary sinuses, radical operation of.....	1
Ovariectomy, double.....	1
Paracentesis.....	1
Perineorrhaphy.....	2
Pterygium, transplantation of.....	1
Repair of cervix.....	1
Salpingectomy.....	1
Thyroidectomy.....	1
Tonsillectomy.....	26
Transurethral prostate resection.....	2
Tubercular osteomyelitis in tibia, treatment for.....	1
Uterus, dilation and curettage.....	2
Uterus, suspension of.....	3

TABLE 9

Admissions From Various Counties During the Year 1932.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Appling	3	1	0	1	5
Atkinson	0	0	2	0	2
Bacon	1	2	2	0	5
Baker	0	1	0	1	2
Baldwin	7	0	5	1	13
Banks	0	2	1	0	3
Bartow	3	5	1	0	9
Barrow	2	2	0	0	4
Ben Hill	1	1	2	0	4
Berrien	5	1	0	0	6
Bibb	7	3	8	7	25
Bleckley	1	0	0	0	1
Brantley	1	0	0	0	1
Brooks	1	1	1	2	5
Bryan	0	1	1	2	4
Bulloch	1	2	0	2	5
Burke	0	1	4	4	9
Butts	1	1	1	1	4
Calhoun	0	0	2	0	2
Camden	0	0	0	1	1
Candler	4	0	0	0	4
Carroll	5	4	0	1	10
Catoosa	0	3	0	0	3
Charlton	0	2	0	0	2
Chatham	9	10	26	20	65
Chattahoochee	0	0	1	0	1
Chattooga	4	4	0	0	8
Cherokee	2	1	0	0	3
Clark	1	5	1	0	7
Clayton	2	1	0	0	3
Clinch	0	1	0	0	1
Cobb	2	5	3	2	12
Coffee	1	1	0	0	2
Colquitt	3	3	2	1	9
Columbia	1	1	1	2	5
Cook	1	1	0	0	2
Coweta	2	2	0	3	7
Crawford	1	0	1	1	3
Crisp	4	0	2	5	11
Dade	1	0	0	0	1
Dawson	0	2	0	0	2

TABLE 9—Continued.

Admissions From Various Counties During the Year 1932.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Decatur.....	1	0	1	2	4
DeKalb.....	7	8	0	1	16
Dodge.....	1	2	2	2	7
Dooly.....	0	0	2	2	4
Dougherty.....	1	1	2	9	13
Douglas.....	2	0	0	0	2
Early.....	1	0	0	0	1
Effingham.....	1	0	1	2	4
Elbert.....	4	3	2	4	13
Emanuel.....	2	2	3	0	7
Evans.....	0	1	0	0	1
Fannin.....	3	2	0	0	5
Fayette.....	0	0	1	0	1
Floyd.....	5	5	0	1	11
Forsyth.....	0	3	0	0	3
Franklin.....	4	2	1	0	7
Fulton.....	32	23	3	5	63
Gilmer.....	1	0	0	0	1
Glynn.....	0	1	0	0	1
Gordon.....	3	1	0	0	4
Grady.....	4	1	1	0	6
Greene.....	1	2	1	1	5
Gwinnett.....	2	3	0	0	5
Habersham.....	1	1	0	0	2
Hall.....	5	6	2	1	14
Hancock.....	1	0	1	2	4
Haralson.....	3	3	0	0	6
Harris.....	1	1	0	0	2
Heard.....	3	1	0	0	4
Henry.....	5	1	0	2	8
Houston.....	0	1	1	0	2
Irwin.....	1	0	0	0	1
Jackson.....	3	4	1	0	8
Jasper.....	1	1	0	1	3
Jeff Davis.....	1	0	0	1	2
Jefferson.....	2	2	3	1	8
Jankins.....	1	0	1	1	3
Johnson.....	0	2	0	0	2
Jones.....	2	0	1	2	5
Lamar.....	1	1	0	2	4
Lanier.....	0	0	1	1	2

TABLE 9—Continued.

Admissions From Various Counties During the Year 1932.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Laurens	2	1	2	3	8
Lee.....	0	1	0	1	2
Liberty.....	0	0	1	1	2
Lincoln.....	2	1	0	1	4
Long.....	0	1	0	1	2
Lowndes.....	0	6	1	0	7
Lumpkin.....	0	2	0	0	2
Macon.....	1	2	0	0	3
Madison.....	2	3	0	1	6
Marion.....	1	0	0	0	1
McDuffie.....	0	1	0	0	1
McIntosh.....	0	0	2	1	3
Meriwether.....	1	2	1	1	5
Mitchell.....	3	0	0	0	3
Monroe.....	2	3	1	1	7
Montgomery.....	2	1	1	1	5
Morgan.....	3	1	0	1	5
Murray.....	2	3	0	0	5
Muscogee.....	4	3	2	4	13
Newton.....	2	1	0	0	3
Oconee.....	0	3	0	0	3
Oglethorpe.....	2	1	1	2	6
Paulding.....	2	3	0	1	6
Peach.....	0	1	0	4	5
Pickens.....	2	4	0	0	6
Pierce.....	2	0	0	1	3
Pike.....	1	0	2	0	3
Polk.....	2	2	0	2	6
Pulaski.....	1	0	1	1	3
Putnam.....	1	0	2	0	3
Randolph.....	0	4	2	0	6
Richmond.....	7	8	3	5	23
Rockdale.....	2	0	0	0	2
Schley.....	2	0	0	1	3
Screven.....	2	1	3	2	8
Seminole.....	1	1	1	0	3
Spalding.....	4	3	1	1	9
Stephens.....	2	2	0	0	4
Stewart.....	2	1	1	2	6
Sumter.....	3	2	0	1	6
Talbot.....	1	0	1	1	3

TABLE 9—Continued.

Admissions From Various Counties During the Year 1932.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Taliaferro.....	0	1	1	0	2
Tattnall.....	2	2	0	0	4
Taylor.....	0	3	1	0	4
Telfair.....	0	2	2	1	5
Terrell.....	3	1	4	1	9
Thomas.....	4	0	6	0	10
Tift.....	2	1	0	1	4
Toombs.....	3	0	0	0	3
Towns.....	2	2	0	0	4
Treutlen.....	0	1	0	2	3
Troup.....	2	4	1	2	9
Turner.....	1	0	0	0	1
Twiggs.....	0	1	1	2	4
Union.....	3	0	0	0	3
Upson.....	2	2	0	2	6
Walker.....	1	1	1	0	3
Walton.....	3	1	1	0	5
Ware.....	4	0	1	0	5
Warren.....	0	0	0	1	1
Washington.....	2	2	1	4	9
Wayne.....	1	2	0	0	3
Webster.....	0	0	0	1	1
Wheeler.....	2	1	0	0	3
White.....	1	2	0	0	3
Whitfield.....	1	3	0	0	4
Wilcox.....	2	2	0	0	4
Wilkinson.....	2	0	3	0	5
Wilks.....	1	0	3	0	4
Worth.....	1	1	2	0	4
Total.....	294	257	155	158	864

TABLE 10

Nativity of all Patients Admitted During the Year 1932.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Alabama.....	6	4	2	0	12
Austria.....	1	0	0	0	1
California.....	1	0	0	0	1
Florida.....	2	3	1	0	6
Georgia.....	259	233	145	150	787
Germany.....	1	0	0	0	1
Greece.....	0	1	0	0	1
Ireland.....	0	1	0	0	1
Kentucky.....	1	2	0	0	3
Mississippi.....	1	0	0	0	1
New York.....	1	0	0	0	1
North Carolina.....	6	2	0	2	10
Not given.....	1	3	1	2	7
Ohio.....	0	1	0	0	1
Pennsylvania.....	0	1	0	0	1
Poland.....	1	0	0	0	1
Russia.....	0	1	0	0	1
South Carolina.....	5	3	6	4	18
Tennessee.....	5	1	0	0	6
Texas.....	1	1	0	0	2
Virginia.....	2	0	0	0	2
Total.....	294	257	155	158	864

TABLE 11

Classified Occupation of Patients Admitted During the Year 1932.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
<i>Agriculture Forestry and Animal Industry:</i>					
Cotton buyer.....	2	0	0	0	2
Dairyman's wife.....	0	1	0	0	1
Farm laborer.....	1	0	9	13	23
Farm laborer's wife.....	0	0	0	6	6
Farmer.....	122	1	44	0	167
Farmer's wife.....	0	64	0	19	83
Farmer's daughter.....	0	1	0	0	1
Livestock dealer.....	1	0	0	0	1
Lumberman.....	1	0	0	0	1
Turpentine laborer.....	1	0	2	0	3
<i>Transportation:</i>					
Engineer.....	1	0	0	0	1
Engineer's wife.....	0	1	0	0	1
Railroad inspector.....	1	0	0	0	1
Railroad laborer's wife.....	0	1	0	0	1
Taxi driver's wife.....	0	2	0	0	2
Truck driver.....	1	0	1	0	2
Switchman.....	1	0	0	0	1
<i>Professional:</i>					
Banker.....	2	0	0	0	2
Druggist.....	2	0	0	0	2
Lawyer.....	3	0	0	0	3
Minister.....	2	0	1	0	3
Physician.....	1	0	0	0	1
Physician's wife.....	0	2	0	0	2
Teacher.....	0	6	0	1	7
Teacher's wife.....	0	1	0	0	1
<i>Domestic and Personal Service:</i>					
Attendant.....	1	0	0	0	1
Barber.....	2	0	0	0	2
Barber's wife.....	0	2	0	1	3
Cook.....	0	0	2	12	14
Delivery boy.....	0	0	1	0	1
Housekeeper.....	0	39	0	14	53
Maid.....	0	1	0	18	19

TABLE 11—Continued.

Classified Occupation of Patients Admitted During the Year 1932.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Janitor's wife.....	0	0	0	1	1
Orderly.....	0	0	2	0	2
Porter.....	0	0	1	0	1
Presser.....	0	0	0	1	1
Restaurant proprietor.....	1	0	0	0	1
Restaurant proprietor's wife.....	0	1	0	0	1
Washerwoman.....	0	0	0	16	16
Watchman.....	1	0	0	0	1
Watchman's wife.....	0	1	0	0	1
<i>Manufacturing and Mechanical Pursuits:</i>					
Brickyard superintendent.....	1	0	0	0	1
Blacksmith.....	1	0	0	0	1
Blacksmith's wife.....	0	2	0	0	2
Crate factory worker's wife.....	0	0	0	1	1
Laborer.....	5	0	52	3	60
Laborer's wife.....	0	8	0	0	8
Machinist.....	1	0	0	0	1
Mechanic.....	2	0	0	0	2
Mechanic's wife.....	0	1	0	0	1
Seamstress.....	0	1	0	0	1
Shoemaker's wife.....	0	2	0	0	2
Textile worker.....	10	6	1	0	17
Textile worker's wife.....	0	4	0	0	4
<i>Minerals:</i>					
Chemical plant worker.....	0	0	1	0	1
Refinery plant man's wife.....	0	1	0	0	1
<i>Public Service:</i>					
Mail carrier.....	2	0	0	0	2
Prohibition officer's wife.....	0	1	0	0	1
Telephone operator.....	0	1	0	0	1
Telegraph operator.....	0	1	0	0	1
<i>Trade:</i>					
Bookkeeper.....	1	0	0	0	1
Bookkeeper's wife.....	0	1	0	0	1
Brickmason's wife.....	0	1	0	0	1
Butcher.....	1	0	0	0	1

TABLE 11—Continued.

Classified Occupation of Patients Admitted During the Year 1932.

	WHITE		COLORED		Total
	M.	F.	M.	F.	
Carpenter.....	5	0	1	0	6
Carpenter's wife.....	0	1	0	0	1
Clerk.....	4	0	0	0	4
Constructor's wife.....	0	1	0	0	1
Electrician.....	2	0	0	0	2
Electrician's wife.....	0	1	0	0	1
Merchant.....	2	0	0	0	2
Merchant's wife.....	0	3	0	0	3
Painter.....	3	0	0	0	3
Painter's wife.....	0	1	0	0	1
Plumber.....	1	0	0	0	1
Printer.....	3	0	0	0	3
Printer's wife.....	0	1	0	0	1
Saleslady.....	0	2	0	0	2
Salesman.....	5	0	0	0	5
Salesman's wife.....	0	3	0	0	3
Secretary.....	1	0	0	0	1
Stenographer.....	2	0	0	0	2
Upholsterer.....	1	0	0	0	1
<i>Miscellaneous:</i>					
Book agent.....	1	0	0	0	1
Insurance agent.....	1	0	0	0	1
Peddler.....	1	0	0	0	1
None.....	84	86	32	49	251
Not given.....	0	0	3	0	3
Real estate agent's wife.....	0	1	0	0	1
Soda dispenser.....	1	0	0	0	1
Student.....	6	4	1	2	13
Well digger.....	0	0	1	0	1
Total.....	294	257	155	158	864

TABLE 12

Ages of First Admissions During the Year 1932.
Classified with Reference to Principal Psychoses.
White Male Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Over 70	Not giv- en	Total
Traumatic.....	1	1	1	0	0	0	0	0	3
Senile.....	0	0	0	0	0	1	5	1	7
With cerebral arterio- sclerosis.....	0	0	0	3	8	10	4	0	25
General paralysis of the insane.....	1	0	10	8	2	1	0	0	22
With cerebral syphilis....	0	0	0	0	0	0	0	0	0
With Huntington's chorea	0	0	1	0	0	0	0	0	1
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	3	1	2	0	2	0	0	0	8
Due to alcohol.....	0	2	1	3	1	0	0	0	7
Due to drugs.....	0	1	1	0	0	0	0	0	2
With pellagra.....	0	1	0	2	1	1	0	0	5
With other somatic disease	0	0	1	1	0	0	0	0	2
Manic depressive.....	1	15	10	12	9	4	0	0	51
Dementia praecox.....	4	16	6	7	4	0	0	0	37
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	2	2	1	7	1	1	0	0	14
Psychoneurosis or neurosis	0	0	0	2	1	0	0	0	3
With psychopathic per- sonality.....	0	1	1	0	0	0	0	0	2
With mental deficiency...	3	6	1	1	0	0	0	0	11
Unclassified.....	0	3	2	3	4	2	0	0	14
Not insane.....	0	0	0	0	0	0	0	0	0
Alcoholism, not insane...	0	0	0	2	0	0	0	0	2
Psychopathic, personality, not insane.....	1	0	0	0	0	0	0	0	1
Total.....	16	49	38	51	33	20	9	1	217

TABLE 12—Continued.

Ages of First Admissions During the Year 1932.
Classified with Reference to Principal Psychoses.
White Female Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Over 70	Not gi- ven	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	0	0	1	4	0	5
With cerebral arterio- sclerosis.....	0	0	0	1	6	7	1	0	15
General paralysis of the insane.....	0	1	1	0	0	1	0	0	3
With cerebral syphilis....	0	0	0	0	0	0	0	0	0
With Huntington's chorea	0	1	0	0	0	0	0	0	1
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	1	0	0	0	0	1
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	2	0	1	0	0	0	3
With pellagra.....	1	1	0	0	0	0	0	0	2
With other somatic disease	0	0	1	0	0	0	0	0	1
Manic depressive.....	4	16	24	15	13	1	0	0	73
Dementia praecox.....	4	12	15	10	4	1	0	0	46
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	0	1	3	2	1	0	0	0	7
Psychoneurosis or neurosis	1	4	1	0	2	0	0	0	8
With psychopathic per- sonality.....	1	3	1	0	0	0	0	0	5
With mental deficiency...	0	2	2	1	2	1	0	0	8
Unclassified.....	0	1	1	1	1	0	0	0	4
Not insane.....	0	0	0	0	0	0	0	0	0
Total.....	11	42	51	31	30	12	5	0	182

TABLE 12—Continued.

Ages of First Admissions During the Year 1932.
Classified with Reference to Principal Psychoses.
Colored Male Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Over 70	Not gi- ven	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	0	2	3	1	0	6
With cerebral arterio- sclerosis.....	0	0	0	2	6	5	1	0	14
General paralysis of the insane.....	0	1	8	8	7	5	0	0	29
With cerebral syphilis....	0	0	0	0	0	0	0	0	0
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	0	0	0	0	0	0
With other somatic disease	0	0	1	1	2	1	0	0	5
Manic depressive.....	8	12	5	3	3	1	0	0	32
Dementia praecox.....	2	8	1	4	0	1	0	0	16
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	2	2	2	0	1	0	0	0	7
Psychoneurosis or neurosis	0	0	0	0	0	0	0	0	0
With psychopathic per- sonality.....	0	0	0	0	0	0	0	0	0
With mental deficiency...	2	4	3	0	1	0	0	0	10
Unclassified.....	2	5	2	2	1	1	0	0	13
Not insane.....	0	0	0	0	0	0	0	0	0
Mental deficiency, not insane.....	0	0	1	0	0	0	0	0	1
Total.....	16	32	23	20	23	17	2	0	133

TABLE 12—Continued.

Ages of First Admissions During the Year 1932.
Classified with Reference to Principal Psychoses.
Colored Female Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Ov- er 70	Not gi- ven	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	0	0	1	1	2	4
With cerebral arterio- sclerosis.....	0	0	0	3	2	0	0	0	5
General paralysis of the insane.....	0	0	5	2	0	0	0	0	7
With cerebral syphilis....	0	0	0	1	0	0	0	0	1
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	1	0	0	0	0	0	0	1
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	1	0	0	0	0	0	0	1
With pellagra.....	0	1	0	2	0	0	0	0	3
With other somatic disease	0	0	1	0	0	0	0	0	1
Manic depressive.....	7	16	18	8	2	0	0	0	51
Dementia praecox.....	3	7	13	7	1	0	0	0	31
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	1	5	2	1	0	0	0	0	9
Psychoneurosis or neurosis	0	0	0	0	0	0	0	0	0
With psychopathic per- sonality.....	0	0	0	0	0	0	0	0	0
With mental deficiency...	1	2	7	1	0	0	0	0	11
Unclassified.....	1	2	3	3	1	0	0	0	10
Not insane.....	0	0	0	0	0	0	0	0	0
Total.....	13	35	49	28	6	1	1	2	135

TABLE 13

Degree of Education of First Admissions During the Year 1932.
Classified with Reference to Principal Psychoses.
White Male Population.

PSYCHOSES	None	Reads only	Reads and writes	Common school	High school	College	Not given	Total
Traumatic.....	0	0	0	3	0	0	0	3
Senile.....	1	0	3	2	1	0	0	7
With cerebral arteriosclerosis.....	2	1	7	12	2	1	0	25
General paralysis of the insane.....	2	0	3	12	2	3	0	22
With cerebral syphilis.....	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	0	0	1	0	0	0	1
With brain tumor.....	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	1	5	2	0	0	0	8
Due to alcohol.....	0	0	2	3	1	1	0	7
Due to drugs.....	0	0	0	0	2	0	0	2
With pellagra.....	0	0	0	5	0	0	0	5
With other somatic disease.....	0	0	0	2	0	0	0	2
Manic depressive.....	4	0	13	24	9	1	0	51
Dementia praecox.....	3	0	6	16	12	0	0	37
Paranoid.....	0	0	0	0	0	0	0	0
With epilepsy.....	2	0	9	3	0	0	0	14
Psychoneurosis or neurosis.....	1	0	0	2	0	0	0	3
With psychopathic personality.....	0	0	0	1	1	0	0	2
With mental deficiency.....	6	0	4	1	0	0	0	11
Unclassified.....	0	1	4	6	1	1	1	14
Not insane.....	0	0	0	0	0	0	0	0
Alcoholism, not insane.....	0	0	0	0	1	1	0	2
Psychopathic personality, not insane.....	0	0	1	0	0	0	0	1
Total.....	21	3	57	95	32	8	1	217

TABLE 13—Continued.

Degree of Education of First Admissions During the Year 1932.
Classified with Reference to Principal Psychoses.
White Female Population.

PSYCHOSES	None	Reads only	Reads and writes	Common school	High school	College	Not given	Total
Traumatic.....	0	0	0	0	0	0	0	0
Senile.....	1	0	1	2	1	0	0	5
With cerebral arteriosclerosis	1	0	2	10	2	0	0	15
General paralysis of the insane.....	0	0	0	1	2	0	0	3
With cerebral syphilis.....	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	0	0	1	0	0	0	1
With brain tumor.....	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	1	0	0	0	1
Due to alcohol.....	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	1	2	0	0	3
With pellagra.....	0	0	1	1	0	0	0	2
With other somatic disease.....	0	0	0	1	0	0	0	1
Manic depressive.....	4	0	18	38	9	4	0	73
Dementia praecox.....	2	0	9	20	11	4	0	46
Paranoid.....	0	0	0	0	0	0	0	0
With epilepsy.....	3	0	2	2	0	0	0	7
Psychoneurosis or neurosis.....	0	0	1	6	1	0	0	8
With psychopathic personality.....	0	0	0	4	1	0	0	5
With mental deficiency.....	5	0	2	1	0	0	0	8
Unclassified.....	1	0	0	3	0	0	0	4
Not insane.....	0	0	0	0	0	0	0	0
Total.....	17	0	36	92	29	8	0	182

TABLE 13—Continued.

Degree of Education of First Admissions During the Year 1932.
Classified with Reference to Principal Psychoses.
Colored Male Population.

PSYCHOSES	None	Reads only	Reads and writes	Common school	High school	College	Not given	Total
Traumatic.....	0	0	0	0	0	0	0	0
Senile.....	3	0	2	0	1	0	0	6
With cerebral arteriosclerosis.....	11	0	3	0	0	0	0	14
General paralysis of the insane.....	14	0	10	5	0	0	0	29
With cerebral syphilis.....	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	0	0	0	0	0
With other somatic disease.....	2	0	3	0	0	0	0	5
Manic depressive.....	9	0	16	6	1	0	0	32
Dementia praecox.....	7	0	6	3	0	0	0	16
Paranoid.....	0	0	0	0	0	0	0	0
With epilepsy.....	3	2	1	1	0	0	0	7
Psychoneurosis or neurosis.....	0	0	0	0	0	0	0	0
With psychopathic personality.....	0	0	0	0	0	0	0	0
With mental deficiency.....	8	0	1	1	0	0	0	10
Unclassified.....	4	1	6	1	0	0	1	13
Not insane.....	0	0	0	0	0	0	0	0
Mental deficiency, not insane.....	1	0	0	0	0	0	0	1
Total.....	62	3	48	17	2	0	1	133

TABLE 13—Continued.

Degree of Education of First Admissions During the Year 1932.
Classified with Reference to Principal Psychoses.
Colored Female Population.

PSYCHOSES	None	Reads only	Reads and writes	Common school	High school	College	Not given	Total
Traumatic.....	0	0	0	0	0	0	0	0
Senile.....	2	0	1	0	0	1	0	4
With cerebral arteriosclerosis.....	3	0	1	0	0	0	1	5
General paralysis of the insane.....	3	1	2	1	0	0	0	7
With cerebral syphilis.....	0	0	0	1	0	0	0	1
With Huntington's chorea.....	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	1	0	0	0	1
Due to alcohol.....	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	1	0	0	0	1
With pellagra.....	1	0	2	0	0	0	0	3
With other somatic disease.....	1	0	0	0	0	0	0	1
Manic depressive.....	8	3	28	12	0	0	0	51
Dementia praecox.....	5	0	17	7	1	1	0	31
Paranoid.....	0	0	0	0	0	0	0	0
With epilepsy.....	4	0	4	1	0	0	0	9
Psychoneurosis or neurosis.....	0	0	0	0	0	0	0	0
With psychopathic personality.....	0	0	0	0	0	0	0	0
With mental deficiency.....	10	0	1	0	0	0	0	11
Unclassified.....	2	1	5	2	0	0	0	10
Not insane.....	0	0	0	0	0	0	0	0
Total.....	39	5	61	26	1	2	1	135

TABLE 14

Environment of First Admissions During the Year, 1932.
Classified with Reference to Principal Psychoses.
White Population.

PSYCHOSES	MALE				FEMALE			
	Urban	Rural	Not given	Total	Urban	Rural	Not given	Total
Traumatic.....	1	2	0	3	0	0	0	0
Senile.....	3	4	0	7	5	0	0	5
With cerebral arteriosclerosis.....	7	18	0	25	11	4	0	15
General paralysis of the insane.....	16	6	0	22	2	1	0	3
With cerebral syphilis.....	0	0	0	0	0	0	0	0
With Huntington's chorea.....	1	0	0	1	1	0	0	1
With brain tumor.....	0	0	0	0	0	0	0	0
With brain and nervous disease.....	2	6	0	8	1	0	0	1
Due to alcohol.....	4	3	0	7	0	0	0	0
Due to drugs.....	1	1	0	2	2	1	0	3
With pellagra.....	1	4	0	5	0	2	0	2
With other somatic disease.....	2	0	0	2	1	0	0	1
Manic depressive.....	14	37	0	51	26	47	0	73
Dementia praecox.....	11	26	0	37	26	20	0	46
Paranoid.....	0	0	0	0	0	0	0	0
With epilepsy.....	7	7	0	14	3	4	0	7
Psychoneurosis or neurosis.....	1	2	0	3	4	4	0	8
With psychopathic personality.....	1	1	0	2	2	3	0	5
With mental deficiency.....	1	10	0	11	5	3	0	8
Unclassified.....	9	5	0	14	0	4	0	4
Not insane.....	0	0	0	0	0	0	0	0
Alcoholism, not insane.....	2	0	0	2	0	0	0	0
Psychopathic personality, not insane.....	0	1	0	1	0	0	0	0
Total.....	84	133	0	217	89	93	0	182

TABLE 14—Continued.

Environment of First Admissions During the Year 1932.
Classified with Reference to Principal Psychoses.
Colored Population.

PSYCHOSES	MALE				FEMALE			
	Urban	Rural	Not given	Total	Urban	Rural	Not given	Total
Traumatic.....	0	0	0	0	0	0	0	0
Senile.....	2	4	0	6	2	2	0	4
With cerebral arteriosclerosis	4	10	0	14	4	1	0	5
General paralysis of the insane.....	19	10	0	29	4	3	0	7
With cerebral syphilis.....	0	0	0	0	1	0	0	1
With Huntington's chorea.....	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	1	0	0	1
Due to alcohol.....	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	1	0	0	1
With pellagra.....	0	0	0	0	1	2	0	3
With other somatic disease.....	1	4	0	5	1	0	0	1
Manic depressive.....	14	17	1	32	23	28	0	51
Dementia praecox.....	9	6	1	16	17	14	0	31
Paranoid.....	0	0	0	0	0	0	0	0
With epilepsy.....	2	5	0	7	3	6	0	9
Psychoneurosis or neurosis.....	0	0	0	0	0	0	0	0
With psychopathic personality.....	0	0	0	0	0	0	0	0
With mental deficiency.....	5	5	0	10	2	9	0	11
Unclassified.....	5	8	0	13	5	5	0	10
Not insane.....	0	0	0	0	0	0	0	0
Mental deficiency, not insane.....	0	1	0	1	0	0	0	0
Total.....	61	70	2	133	65	70	0	135

TABLE 15

Economic Condition of First Admissions During the Year, 1932.
Classified with Reference to Principal Psychoses.
White Population.

PSYCHOSES	MALE					FEMALE				
	Comfortable	Marginal	Dependent	Not given	Total	Comfortable	Marginal	Dependent	Not given	Total
Traumatic.....	0	1	2	0	3	0	0	0	0	0
Senile.....	0	0	7	0	7	0	0	5	0	5
With cerebral arteriosclerosis	1	2	22	0	25	0	0	15	0	15
General paralysis of the insane...	0	6	16	0	22	0	0	3	0	3
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	0	1	0	1	0	0	1	0	1
With brain tumor.....	0	0	0	0	0	0	0	0	0	0
With brain and nervous disease..	0	0	7	1	8	0	0	1	0	1
Due to alcohol.....	0	2	5	0	7	0	0	0	0	0
Due to drugs.....	0	0	2	0	2	0	0	3	0	3
With pellagra.....	0	1	4	0	5	0	0	2	0	2
With other somatic disease.....	0	0	2	0	2	0	0	1	0	1
Manic depressive.....	2	14	35	0	51	3	9	61	0	73
Dementia praecox.....	2	8	27	0	37	3	4	39	0	46
Paranoid.....	0	0	0	0	0	0	0	0	0	0
With epilepsy.....	0	3	11	0	14	0	0	7	0	7
Psychoneurosis or neurosis.....	0	1	2	0	3	0	0	8	0	8
With psychopathic personality...	0	0	2	0	2	0	0	5	0	5
With mental deficiency.....	0	0	11	0	11	0	1	7	0	8
Unclassified.....	0	5	8	1	14	0	1	3	0	4
Not insane.....	0	0	0	0	0	0	0	0	0	0
Alcoholism, not insane.....	0	0	2	0	2	0	0	0	0	0
Psychopathic personality, not insane.....	0	0	1	0	1	0	0	0	0	0
Total.....	5	43	167	2	217	6	15	161	0	182

TABLE 15—Continued.

Economic Condition of First Admissions During the Year 1932.
Classified with Reference to Principal Psychoses.
Colored Population.

PSYCHOSES	MALE					FEMALE				
	Comfortable	Marginal	Dependent	Not given	Total	Comfortable	Marginal	Dependent	Not given	Total
Traumatic.....	0	0	0	0	0	0	0	0	0	0
Senile.....	0	0	6	0	6	0	1	3	0	4
With cerebral arteriosclerosis	0	0	14	0	14	0	2	3	0	5
General paralysis of the insane...	0	0	26	3	29	0	1	6	0	7
With cerebral syphilis.....	0	0	0	0	0	0	0	1	0	1
With Huntington's chorea.....	0	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0	0
With brain and nervous disease..	0	0	0	0	0	0	0	1	0	1
Due to alcohol.....	0	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	1	0	0	1
With pellagra.....	0	0	0	0	0	0	0	3	0	3
With other somatic disease.....	0	0	5	0	5	0	0	1	0	1
Manic depressive.....	0	2	30	0	32	0	3	47	1	51
Dementia praecox.....	0	0	15	1	16	1	3	26	1	31
Paranoid.....	0	0	0	0	0	0	0	0	0	0
With epilepsy.....	0	0	7	0	7	0	1	8	0	9
Psychoneurosis or neurosis.....	0	0	0	0	0	0	0	0	0	0
With psychopathic personality...	0	0	0	0	0	0	0	0	0	0
With mental deficiency.....	0	0	9	1	10	0	0	11	0	11
Unclassified.....	0	1	12	0	13	0	0	10	0	10
Not insane.....	0	0	0	0	0	0	0	0	0	0
Mental deficiency, not insane....	0	0	1	0	1	0	0	0	0	0
Total.....	0	3	125	5	133	1	12	120	2	135

TABLE 16
Civil Condition of First Admissions During the Year 1932.
Classified with Reference to Principal Psychoses.
White Population.

PSYCHOSES	MALE							FEMALE						
	Single	Married	Widowed	Divorced	Separated	Not Given	Total	Single	Married	Widowed	Divorced	Separated	Not Given	Total
Traumatic.....	3	0	0	0	0	0	3	0	0	0	0	0	0	0
Senile.....	0	5	2	0	0	0	7	0	0	5	0	0	0	5
With cerebral arteriosclerosis.....	3	16	4	1	1	0	25	0	5	9	0	1	0	15
General paralysis of the insane.....	7	12	0	1	1	1	22	0	2	1	0	0	0	3
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	1	0	0	0	0	1	1	0	0	0	0	0	1
With brain tumor.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	5	3	0	0	0	0	8	0	0	0	1	0	0	1
Due to alcohol.....	1	6	0	0	0	0	7	0	0	0	0	0	0	0
Due to drugs.....	1	1	0	0	0	0	2	1	2	0	0	0	0	3
With pellagra.....	1	4	0	0	0	0	5	0	1	0	0	1	0	2
With other somatic disease.....	0	2	0	0	0	0	2	0	1	0	0	0	0	1
Manic depressive.....	16	33	1	0	1	0	51	15	47	8	0	3	0	73
Dementia praecox.....	23	6	1	2	5	0	37	13	24	3	1	5	0	46
Paranoid.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With epilepsy.....	5	6	0	0	3	0	14	1	3	2	0	1	0	7
Psychoneurosis or neurosis.....	0	3	0	0	0	0	3	5	3	0	0	0	0	8
With psychopathic personality.....	2	0	0	0	0	0	2	3	1	0	0	1	0	5
With mental deficiency.....	10	1	0	0	0	0	11	6	1	1	0	0	0	8
Unclassified.....	3	8	1	1	1	0	14	0	3	1	0	0	0	4
Not insane.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Alcoholism, not insane.....	0	2	0	0	0	0	2	0	0	0	0	0	0	0
Psychopathic personality, not insane.....	1	0	0	0	0	0	1	0	0	0	0	0	0	0
Total.....	81	109	9	5	12	1	217	45	93	30	2	12	0	182

TABLE 16 —Continued.
Civil Condition of First Admissions During the Year 1932.
Classified with Reference to Principal Psychoses.
Colored Population.

PSYCHOSES	MALE							FEMALE						
	Single	Married	Widowed	Divorced	Separated	Not Given	Total	Single	Married	Widowed	Divorced	Separated	Not Given	Total
Traumatic.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Senile.....	2	2	2	0	0	0	6	0	1	3	0	0	0	4
With cerebral arteriosclerosis.....	3	6	4	0	1	0	14	0	1	3	1	0	0	5
General paralysis of the insane.....	7	12	5	1	4	0	29	1	2	0	0	4	0	7
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0	1	0	0	0	1
With Huntington's chorea.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Due to alcohol.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0	1	0	0	0	1
With pellagra.....	0	0	0	0	0	0	0	1	0	1	0	1	0	3
With other somatic disease.....	1	4	0	0	0	0	5	1	0	0	0	0	0	1
Manic depressive.....	17	12	1	0	1	1	32	14	24	4	0	9	0	51
Dementia praecox.....	9	3	1	1	2	0	16	12	6	4	2	7	0	31
Paranoid.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With epilepsy.....	6	0	0	0	1	0	7	4	3	1	0	1	0	9
Psychoneurosis or neurosis.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With psychopathic personality.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
With mental deficiency.....	9	0	1	0	0	0	10	6	4	1	0	0	0	11
Unclassified.....	8	3	1	0	0	1	13	1	5	3	0	1	0	10
Not insane.....	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mental deficiency, not insane.....	1	0	0	0	0	0	1	0	0	0	0	0	0	0
Total.....	63	42	15	2	9	2	133	40	46	22	3	24	0	135

TABLE 17

Ages of Patients at the Time of Death During the Year 1932.
Classified with Reference to Principal Psychoses.
White Male Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Ov- er 70	Not gi- ven	Total
Traumatic.....	0	0	0	1	0	0	0	0	1
Senile.....	0	0	0	0	0	1	5	0	6
With cerebral arterio- sclerosis.....	0	0	0	3	1	4	6	0	14
General paralysis of the insane.....	0	0	4	0	6	2	0	0	12
With cerebral syphilis....	0	0	0	0	0	0	0	0	0
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	1	0	1	0	0	2
With other somatic disease	0	0	0	0	0	0	0	0	0
Manic depressive.....	0	0	0	1	2	1	2	0	6
Dementia praecox.....	0	3	2	4	2	1	2	2	16
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	3	2	1	0	2	1	0	0	9
Psychoneurosis or neurosis	0	0	0	0	0	0	0	0	0
With psychopathic per- sonality.....	0	0	0	0	1	0	0	0	1
With mental deficiency...	2	1	3	2	0	1	1	2	12
Unclassified.....	0	1	1	0	1	0	0	1	4
Not insane.....	0	0	0	0	0	0	0	0	0
Total.....	5	7	11	12	15	12	16	5	83

TABLE 17—Continued.

Ages of Patients at the Time of Death During the Year 1932.

Classified with Reference to Principal Psychoses.

White Female Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Ov- er 70	Not gi- ven	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	0	0	2	6	0	8
With cerebral arterio- sclerosis.....	0	0	0	0	2	2	1	0	5
General paralysis of the insane.....	0	0	0	0	0	0	0	0	0
With cerebral syphilis....	0	0	0	0	0	0	0	0	0
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	1	0	0	0	0	1
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	0	0	0	0	0	0
With other somatic disease	0	0	0	0	0	0	0	0	0
Manic depressive.....	0	1	2	4	3	2	3	0	15
Dementia praecox.....	0	2	0	3	2	1	3	1	12
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	0	1	2	1	1	0	0	0	5
Psychoneurosis or neurosis	0	0	0	0	0	1	0	0	1
With psychopathic per- sonality.....	0	0	0	0	0	0	0	0	0
With mental deficiency...	1	3	0	0	1	1	2	0	8
Unclassified.....	0	0	0	1	2	2	3	1	9
Mental deficiency, not insane.....	0	0	0	0	1	0	0	0	1
Total.....	1	7	4	10	12	11	18	2	65

TABLE 17—Continued.

Ages of Patients at the Time of Death During the Year 1932.
Classified with Reference to Principal Psychoses.
Colored Male Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Ov- er 70	Not gi- ven	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	0	1	2	0	0	3
With cerebral arterio- sclerosis.....	0	0	0	1	1	4	0	1	7
General paralysis of the insane.....	0	2	8	10	4	2	0	0	26
With cerebral syphilis....	0	0	0	0	0	0	0	0	0
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	0	0	0	0	0	0
With other somatic disease	0	0	0	1	2	1	0	0	4
Manic depressive.....	2	2	0	1	3	0	0	0	8
Dementia praecox.....	0	1	2	1	0	1	1	1	7
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	2	2	2	1	1	1	0	0	9
Psychoneurosis or neurosis	0	0	0	0	0	0	0	0	0
With mental deficiency...	0	2	2	0	0	0	0	1	5
Unclassified.....	0	0	0	1	1	1	0	0	3
Not insane.....	0	0	0	0	0	0	0	0	0
Epilepsy, not insane.....	0	0	0	1	0	0	0	0	1
Total.....	4	9	14	17	13	12	1	3	73

TABLE 17—Continued.

Ages of Patients at the Time of Death During the Year 1932.
Classified with Reference to Principal Psychoses.
Colored Female Population.

PSYCHOSES	Un- der 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	Over 70	Not gi- ven	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	0	0	0	0	4	7	0	11
With cerebral arterio- sclerosis.....	0	0	1	1	1	0	4	0	7
General paralysis of the insane.....	0	1	3	2	1	0	0	0	7
With cerebral syphilis....	0	1	0	0	0	0	0	0	1
With Huntington's chorea	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	0	0	0	0	0	0
With other somatic disease	0	0	2	0	0	0	0	0	2
Manic depressive.....	0	1	3	4	4	2	0	0	14
Dementia praecox.....	1	4	6	2	0	1	0	0	14
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	1	2	2	1	1	0	0	0	7
Psychoneurosis or neurosis	0	0	0	0	0	0	0	0	0
With psychopathic per- sonality.....	0	0	0	0	0	0	0	0	0
With mental deficiency...	0	0	2	1	0	0	0	0	3
Unclassified.....	1	1	2	1	2	1	0	0	8
Not insane.....	0	0	0	0	0	0	0	0	0
Total.....	3	10	21	12	9	8	11	0	74

TABLE 18

Duration of Hospital Residence of Patients Dying in Hospital During
the Year 1932.

Classified with Reference to Principal Psychoses.
White Male Population.

PSYCHOSES	Under 1 month	1 to 6 months	6 to 12 months	1 to 2 years	2 to 5 years	5 to 10 years	10 to 20 years	Over 20 years	Total
Traumatic.....	0	0	0	1	0	0	0	0	1
Senile.....	2	1	0	1	1	1	0	0	6
With cerebral arteriosclerosis	2	2	3	4	2	1	0	0	14
General paralysis of the insane.....	1	7	2	1	0	1	0	0	12
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	1	1	0	0	0	0	0	0	2
With other somatic disease.....	0	0	0	0	0	0	0	0	0
Manic depressive.....	0	1	0	1	1	0	2	1	6
Dementia praecox.....	0	1	0	0	0	4	4	7	16
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	0	0	0	1	3	3	2	0	9
Psychoneurosis or neurosis.....	0	0	0	0	0	0	0	0	0
With psychopathic personality.....	0	0	0	0	0	0	0	1	1
With mental deficiency.....	0	2	1	0	1	2	3	3	12
Unclassified.....	2	0	0	1	0	0	0	1	4
Not insane.....	0	0	0	0	0	0	0	0	0
Total.....	8	15	6	10	8	12	11	13	83

TABLE 18—Continued.

Duration of Hospital Residence of Patients Dying in Hospital During
the Year 1932.

Classified with Reference to Principal Psychoses.
White Female Population.

PSYCHOSES	Under 1 month	1 to 6 months	6 to 12 months	1 to 2 years	2 to 5 years	5 to 10 years	10 to 20 years	Over 20 years	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	4	1	1	1	1	0	0	8
With cerebral arteriosclerosis.....	1	0	2	1	1	0	0	0	5
General paralysis of the insane.....	0	0	0	0	0	0	0	0	0
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	1	0	0	0	0	1
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	0	0	0	0	0	0
With other somatic disease.....	0	0	0	0	0	0	0	0	0
Manic depressive.....	2	2	2	1	3	0	3	2	15
Dementia praecox.....	0	1	0	0	2	6	2	1	12
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	0	0	0	0	0	2	3	0	5
Psychoneurosis or neurosis.....	0	1	0	0	0	0	0	0	1
With psychopathic personality.....	0	0	0	0	0	0	0	0	0
With mental deficiency.....	0	0	1	1	1	2	1	2	8
Unclassified.....	0	0	2	1	0	2	1	3	9
Not insane.....	0	0	0	0	0	0	0	0	0
Mental deficiency, not insane.....	0	0	0	0	0	0	1	0	1
Total.....	3	8	8	6	8	13	11	8	65

TABLE 18—Continued.

Duration of Hospital Residence of Patients Dying in Hospital During
the Year 1932.

Classified with Reference to Principal Psychoses.
Colored Male Population.


PSYCHOSES	Under 1 month	1 to 6 months	6 to 12 months	1 to 2 years	2 to 5 years	5 to 10 years	10 to 20 years	Over 20 years	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	0	2	1	0	0	0	0	0	3
With cerebral arteriosclerosis.....	0	1	0	3	1	1	0	1	7
General paralysis of the insane.....	5	11	4	4	1	1	0	0	26
With cerebral syphilis.....	0	0	0	0	0	0	0	0	0
With Huntington's chorea.....	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	0	0	0	0	0	0
With other somatic disease.....	2	2	0	0	0	0	0	0	4
Manic depressive.....	0	3	1	0	0	2	1	1	8
Dementia praecox.....	0	0	0	0	2	2	0	3	7
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	0	1	0	2	1	5	0	0	9
Psychoneurosis or neurosis.....	0	0	0	0	0	0	0	0	0
With psychopathic personality.....	0	0	0	0	0	0	0	0	0
With mental deficiency.....	0	0	0	0	1	3	0	1	5
Unclassified.....	3	0	0	0	0	0	0	0	3
Not insane.....	0	0	0	0	0	0	0	0	0
Epilepsy, not insane.....	0	0	0	0	0	0	1	0	1
Total.....	10	20	6	9	6	14	2	6	73


TABLE 18—Continued.

Duration of Hospital Residence of Patients Dying in Hospital During
the Year 1932.

Classified with Reference to Principal Psychoses.
Colored Female Population.

PSYCHOSES	Under 1 month	1 to 6 months	6 to 12 months	1 to 2 years	2 to 5 years	5 to 10 years	10 to 20 years	Over 20 years	Total
Traumatic.....	0	0	0	0	0	0	0	0	0
Senile.....	1	2	0	2	4	0	2	0	11
With cerebral arteriosclerosis.....	0	0	0	3	2	2	0	0	7
General paralysis of the insane.....	0	2	1	2	2	0	0	0	7
With cerebral syphilis.....	0	0	1	0	0	0	0	0	1
With Huntington's chorea.....	0	0	0	0	0	0	0	0	0
With brain tumor.....	0	0	0	0	0	0	0	0	0
With brain and nervous disease.....	0	0	0	0	0	0	0	0	0
Due to alcohol.....	0	0	0	0	0	0	0	0	0
Due to drugs.....	0	0	0	0	0	0	0	0	0
With pellagra.....	0	0	0	0	0	0	0	0	0
With other somatic disease.....	0	1	0	0	0	1	0	0	2
Manic depressive.....	2	2	4	2	2	2	0	0	14
Dementia praecox.....	0	0	0	2	6	3	2	1	14
Paranoid.....	0	0	0	0	0	0	0	0	0
With epilepsy.....	1	0	0	2	1	1	2	0	7
Psychoneurosis or neurosis.....	0	0	0	0	0	0	0	0	0
With psychopathic personality.....	0	0	0	0	0	0	0	0	0
With mental deficiency.....	0	1	1	0	0	0	0	1	3
Unclassified.....	6	1	1	0	0	0	0	0	8
Not insane.....	0	0	0	0	0	0	0	0	0
Total.....	10	9	8	13	17	9	6	2	74





GA

E450.M5

AI


1932

This book must not be
taken from the Library
building without special
permission.

Ugl. M. 1990 ZUXUXZUX907

89-72-1

UNIVERSITY OF GEORGIA LIBRARIES



9000 05683 0006

